

Intel Core i5-1240P processor

12 core, up to 4.4 GHz, 12 MB cache

Dual LAN

8GB DDR4 RAM

1TB SSD

No WiFi

DOS

DB9 Serial



SKU: R-I5_12L-8-M1024-12_7-X-DOS-1S

Unleash the power of compact computing for demanding industrial applications.

Engineered for reliability and robust performance, the Thinvent® Neo R/4 Mini PC is the steadfast heart for your critical operations. Designed to thrive in challenging environments, it delivers the consistent power you need without the bulk.

Perfect for your demanding projects

- Serve as the central hub for digital signage, kiosks, or interactive displays, ensuring smooth and uninterrupted operation.
- Power complex automation and control systems with its dependable dual LAN and serial connectivity for seamless equipment integration.

- Manage data acquisition and HMI (Human-Machine Interface) tasks with the processing muscle to handle multiple data streams.
- Deploy in space-constrained industrial settings where its rugged, steel construction and wide operating temperature range guarantee uptime.

Built for the long haul, this industrial-grade mini PC offers a rock-solid foundation. Its fanless design minimises points of failure, while the trusted Intel® Core™ architecture provides the performance headroom for today's tasks and tomorrow's challenges. Choose the Neo R/4 for a computing solution that simply works, day in and day out.



Specifications

PROCESSING

| | |
|-----------------|---------|
| Generation | 12th |
| Series | i5 |
| Processor Brand | Intel |
| Processor Model | 1240P |
| Cores | 12 |
| Max Frequency | 4.4 GHz |
| Cache | 12 MB |
| Main Memory | 8 GB |
| SSD Storage | 1024 GB |

DISPLAY

| | |
|------|---|
| HDMI | 1 |
| VGA | 1 |

AUDIO

| | |
|-------------|---|
| Speaker Out | 1 |
| Mic In | 1 |

CONNECTIVITY

| | |
|-------------|------------------|
| USB 3.2 | 2 |
| Serial Port | 1 DB9 male RS232 |

NETWORKING

| | |
|----------------|-----------|
| Ethernet | 1000 Mbps |
| Ethernet Ports | 2 |

POWER

| | |
|--------------|--|
| DC Voltage | 12 Volts |
| DC Current | 7 Amps |
| Power Input | 100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum |
| Cable Length | 2 Metre |

ENVIRONMENTAL

| | |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 40°C |
| Operating Humidity | 20% ~ 80% RH, non condensing |
| Certifications | BIS, RoHS, ISO |

PHYSICAL

| | |
|----------------------|-----------------------|
| Form Factor | Mini PC |
| Dimensions | 198mm × 200mm × 73mm |
| Packing Dimensions | 340mm × 235mm × 105mm |
| Weight | 110 grams |
| Housing Material | Steel |
| Housing Finish | Powder Coated |
| Housing Colour | Black |
| Net and Gross Weight | 1.72kg, 2.13kg |

OPERATING SYSTEM

| | |
|------------------|---------|
| Operating System | FreeDOS |
|------------------|---------|

Ordering Information

PRODUCT CODE

R-i5_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]

| | | | | |
|--------------------|--|---------------------|------------------------------------|-----------------------|
| RAM | 4 = 4GB DDR4 | 8 = 8GB DDR4 | 16 = 16GB DDR4 | 32 = 32GB DDR4 |
| | 64 = 64GB DDR4 | | | |
| SSD | m128 = 128GB | | m256 = 256GB | |
| | m32 = 32GB | | m512 = 512GB | |
| | m1024 = 1TB | | S32 = 32GB MLC | |
| | S128 = 128GB | | S256 = 256GB | |
| Wireless | m = Dual Band WiFi | | X = No WiFi | |
| OS | DOS = DOS | | W_OS = Without OS | |
| | 11V = Windows 11 IoT Value | | 11P = Windows 11 Pro | |
| | Thinix = Thinix™ Embedded Linux | | U = Ubuntu Linux | |
| Accessories | 0 = None | | KM = Keyboard and Mouse set | |
| | 1S = DB9 Serial | | MK = Mechanical Keyboard | |
| | Mo = Wired Optical Scroll Mouse | | | |

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing
 #11 Sports Complex
 Salvador Do Mundo
 North Goa - 403101, India

Sales
 UGF-10-A Omaxe Gurgaon Mall
 Sector 49, Sohna Road
 Gurgaon - 122018, India

