



# Thinvent Neo R/4 Mini PC

## Intel Core i5-1240P processor

12 core, up to 4.4 GHz, 12 MB cache

## Dual LAN

## 8GB DDR4 RAM

## 128GB SSD

## Dual Band WiFi

## DOS

SKU: R-I5\_12L-8-M128-12\_7-M-DOS-0



Engineered for the relentless pace of modern business: the Thinvent® Neo R/4 Mini PC.

### Uncompromising Performance in a Compact Form

Harness the robust power of a 12th Gen Intel® Core™ processor, delivering the seamless multitasking and rapid responsiveness your critical applications demand. This miniature powerhouse tackles everything from complex digital signage and point-of-sale systems to industrial automation, without the bulk of a traditional desktop.

### Built for Dependable, Always-On Operation

Engineered for stability in demanding environments, its durable steel construction and wide operating temperature range ensure reliable performance day in, day out. Dual Gigabit Ethernet ports provide essential network redundancy and flexibility for secure, high-speed data transfer, keeping your operations connected and resilient.

### The Ultimate Space-Saving Solution

Reclaim valuable real estate without sacrificing capability. Its incredibly small footprint allows for discreet mounting behind monitors or in tight control panels, enabling sleek, professional deployments that declutter your workspace and simplify your infrastructure.

### Key Advantages for Your Business

- Achieve powerful computing performance in a fraction of the space.
- Ensure reliable, continuous operation for essential business and industrial tasks.
- Benefit from versatile connectivity options, including dual LAN for robust networking.
- Deploy a robust, commercial-grade solution built for long-term durability.
- Reduce overall setup complexity and maintenance with an integrated, compact design.

Choose the Thinvent Neo R/4. Where formidable processing power meets rugged, space-conscious design for business-critical success.



# Thinvent Neo R/4 Mini PC



## Specifications

### PROCESSING

---

Generation	12th
Series	i5
Processor Brand	Intel
Processor Model	1240P
Cores	12
Max Frequency	4.4 GHz
Cache	12 MB
Main Memory	8 GB
SSD Storage	128 GB

### DISPLAY

---

HDMI	1
VGA	1

### AUDIO

---

Speaker Out	1
Mic In	1

### CONNECTIVITY

---

USB 3.2	2
---------	---

### NETWORKING

---

Ethernet	1000 Mbps
Ethernet Ports	2
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

### POWER

---

DC Voltage	12 Volts
DC Current	7 Amps
Power Input	100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

### ENVIRONMENTAL

---

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

### PHYSICAL

---

Form Factor	Mini PC
Dimensions	198mm × 200mm × 73mm
Packing Dimensions	340mm × 235mm × 105mm
Weight	110 grams
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.72kg, 2.13kg

### OPERATING SYSTEM

---

Operating System	FreeDOS
------------------	---------

## Ordering Information

PRODUCT CODE	
<b>R-i5_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]</b>	
<b>RAM</b>	<b>4</b> = 4GB DDR4 <b>8</b> = 8GB DDR4 <b>16</b> = 16GB DDR4 <b>32</b> = 32GB DDR4 <b>64</b> = 64GB DDR4
<b>SSD</b>	<b>m128</b> = 128GB <b>m256</b> = 256GB <b>m32</b> = 32GB <b>m512</b> = 512GB <b>m1024</b> = 1TB <b>S32</b> = 32GB MLC <b>S128</b> = 128GB <b>S256</b> = 256GB
<b>Wireless</b>	<b>m</b> = Dual Band WiFi <b>X</b> = No WiFi
<b>OS</b>	<b>DOS</b> = DOS <b>W_OS</b> = Without OS <b>11V</b> = Windows 11 IoT Value <b>11P</b> = Windows 11 Pro <b>Thinix</b> = Thinix™ Embedded Linux <b>U</b> = Ubuntu Linux
<b>Accessories</b>	<b>0</b> = None <b>KM</b> = Keyboard and Mouse set <b>1S</b> = DB9 Serial <b>MK</b> = Mechanical Keyboard <b>Mo</b> = Wired Optical Scroll Mouse

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251

**R&D and Manufacturing**  
 #11 Sports Complex  
 Salvador Do Mundo  
 North Goa - 403101, India

**Sales**  
 UGF-10-A Omaxe Gurgaon Mall  
 Sector 49, Sohna Road  
 Gurgaon - 122018, India

