



Thinvent Neo R/4 Mini PC

Intel Core i7-1255U processor

10 core, up to 4.7 GHz, 12 MB cache

Dual LAN

16GB DDR4 RAM

512GB SSD

No WiFi

DOS



SKU: R-I7_12L-16-M512-12_5-X-DOS-0

Unleash powerhouse performance in a compact footprint.

Engineered for demanding environments, the Thinvent Neo R/4 Mini PC delivers exceptional reliability and robust connectivity to keep your critical operations running smoothly.

Ideal Use Cases

- Digital signage and interactive kiosks requiring flawless media playback.
- Industrial automation and machine control where dual Ethernet is essential.
- Thin client and office productivity hubs in space-constrained settings.

- Secure network applications that benefit from a dedicated, wired-only connection.

Key Benefits

Experience a new level of operational efficiency. Its formidable processing power effortlessly handles complex tasks, while the rugged steel construction ensures durability in challenging conditions. The dual Gigabit LAN ports provide unparalleled network flexibility and redundancy for mission-critical setups. Free from unnecessary wireless components, it offers a streamlined, secure foundation for your bespoke software solutions.

Built to perform where it matters most.



Thinvent Neo R/4 Mini PC



Specifications

PROCESSING

| | |
|-----------------|---------|
| Generation | 12th |
| Series | i7 |
| Processor Brand | Intel |
| Processor Model | 1255U |
| Cores | 10 |
| Max Frequency | 4.7 GHz |
| Cache | 12 MB |
| Main Memory | 16 GB |
| SSD Storage | 512 GB |

DISPLAY

| | |
|------|---|
| HDMI | 1 |
| VGA | 1 |

AUDIO

| | |
|-------------|---|
| Speaker Out | 1 |
| Mic In | 1 |

CONNECTIVITY

| | |
|--------------|---|
| USB 3.2 | 2 |
| RS485 Option | 1 |

NETWORKING

| | |
|----------------|-----------|
| Ethernet | 1000 Mbps |
| Ethernet Ports | 2 |

POWER

| | |
|--------------|--|
| DC Voltage | 12 Volts |
| DC Current | 5 Amps |
| Power Input | 100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum |
| Cable Length | 2 Metre |

ENVIRONMENTAL

| | |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 40°C |
| Operating Humidity | 20% ~ 80% RH, non condensing |
| Certifications | BIS, RoHS, ISO |

PHYSICAL

| | |
|----------------------|-----------------------|
| Form Factor | Mini PC |
| Dimensions | 198mm × 200mm × 73mm |
| Packing Dimensions | 340mm × 235mm × 105mm |
| Weight | 110 grams |
| Housing Material | Steel |
| Housing Finish | Powder Coated |
| Housing Colour | Black |
| Net and Gross Weight | 1.62kg, 2.04kg |

OPERATING SYSTEM

| | |
|------------------|---------|
| Operating System | FreeDOS |
|------------------|---------|

Ordering Information

PRODUCT CODE

R-i7_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]

| | | | | |
|--------------------|--|---------------------|------------------------------------|-----------------------|
| RAM | 4 = 4GB DDR4 | 8 = 8GB DDR4 | 16 = 16GB DDR4 | 32 = 32GB DDR4 |
| | 64 = 64GB DDR4 | | | |
| SSD | m128 = 128GB | | m256 = 256GB | |
| | m32 = 32GB | | m512 = 512GB | |
| | m1024 = 1TB | | S32 = 32GB MLC | |
| | S128 = 128GB | | S256 = 256GB | |
| Wireless | m = Dual Band WiFi | | X = No WiFi | |
| OS | DOS = DOS | | W_OS = Without OS | |
| | 11V = Windows 11 IoT Value | | 11P = Windows 11 Pro | |
| | Thinix = Thinix™ Embedded Linux | | U = Ubuntu Linux | |
| Accessories | 0 = None | | KM = Keyboard and Mouse set | |
| | 1S = DB9 Serial | | MK = Mechanical Keyboard | |
| | Mo = Wired Optical Scroll Mouse | | | |

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

+91-99903-44251

R&D and Manufacturing
 #11 Sports Complex
 Salvador Do Mundo
 North Goa - 403101, India

Sales
 UGF-10-A Omaxe Gurgaon Mall
 Sector 49, Sohna Road
 Gurgaon - 122018, India

