



# Thinvent Neo R/4 Mini PC

## Intel Core i7-1255U processor

10 core, up to 4.7 GHz, 12 MB cache

## Dual LAN

## 64GB DDR4 RAM

## 512GB SSD

## No WiFi

## Thinux Embedded Linux

## DB9 Serial



SKU: R-I7\_12L-64-M512-12\_5-X-THINUX-1S

Unleash silent industrial power in a compact, rugged frame.

### Engineered for demanding environments

Experience seamless control and data processing for machinery, kiosks, and digital signage. Its fanless, robust steel construction ensures reliable, maintenance-free operation through dust, vibration, and wide temperature swings, keeping your critical processes running smoothly around the clock.

### Connect and control with ultimate reliability

Take command of legacy equipment and modern networks simultaneously with dedicated serial and dual Gigabit Ethernet ports. This mini PC is built to integrate seamlessly into your existing industrial ecosystem, providing a steadfast communication hub for SCADA systems, PLCs, and factory floor automation.

### Simplify deployment and remote management

Get up and running quickly with the pre-installed, stable Thinux operating system. Enjoy peace of mind with streamlined, browser-based remote management, allowing your team to monitor, update, and troubleshoot systems from anywhere, minimising downtime and site visits.

The Neo R/4 is your dedicated, dependable workhorse for industrial automation, point-of-sale, and secure edge computing applications where unwavering reliability is non-negotiable.



# Thinvent Neo R/4 Mini PC



## Specifications

### PROCESSING

---

Generation	12th
Series	i7
Processor Brand	Intel
Processor Model	1255U
Cores	10
Max Frequency	4.7 GHz
Cache	12 MB
Main Memory	64 GB
SSD Storage	512 GB

### DISPLAY

---

HDMI	1
VGA	1

### AUDIO

---

Speaker Out	1
Mic In	1

### CONNECTIVITY

---

USB 3.2	2
Serial Port	1 DB9 male RS232
RS485 Option	1

### NETWORKING

---

Ethernet	1000 Mbps
Ethernet Ports	2

### POWER

---

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

### ENVIRONMENTAL

---

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

### PHYSICAL

---

Form Factor	Mini PC
Dimensions	198mm × 200mm × 73mm
Packing Dimensions	340mm × 235mm × 105mm
Weight	110 grams
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.62kg, 2.04kg

### OPERATING SYSTEM

---

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

## Ordering Information

PRODUCT CODE			
<b>R-i7_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]</b>			
<b>RAM</b>	<b>4</b> = 4GB DDR4 <b>64</b> = 64GB DDR4	<b>8</b> = 8GB DDR4	<b>16</b> = 16GB DDR4 <b>32</b> = 32GB DDR4
<b>SSD</b>	<b>m128</b> = 128GB <b>m32</b> = 32GB <b>m1024</b> = 1TB <b>S128</b> = 128GB		<b>m256</b> = 256GB <b>m512</b> = 512GB <b>S32</b> = 32GB MLC <b>S256</b> = 256GB
<b>Wireless</b>	<b>m</b> = Dual Band WiFi		<b>X</b> = No WiFi
<b>OS</b>	<b>DOS</b> = DOS <b>11V</b> = Windows 11 IoT Value <b>Thinix</b> = Thinix™ Embedded Linux		<b>W_OS</b> = Without OS <b>11P</b> = Windows 11 Pro <b>U</b> = Ubuntu Linux
<b>Accessories</b>	<b>0</b> = None <b>1S</b> = DB9 Serial <b>Mo</b> = Wired Optical Scroll Mouse		<b>KM</b> = Keyboard and Mouse set <b>MK</b> = Mechanical Keyboard

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251

**R&D and Manufacturing**  
#11 Sports Complex  
Salvador Do Mundo  
North Goa - 403101, India

**Sales**  
UGF-10-A Omaxe Gurgaon Mall  
Sector 49, Sohna Road  
Gurgaon - 122018, India

