



Thinvent Neo S Thin Client

Intel processor J1900

4 core, up to 2.4 GHz, 2 MB cache

4GB DDR3 RAM

Dual 128GB SSD

No WiFi

Without OS

Thinvent Keyboard and Mouse set

SKU: SB-B-4_3-M128_S128-19_3-X-W_OS-KM



The Engine for Your Digital Workspace.

Unleash a new level of reliability and simplicity in your office or industrial environment. The Thinvent® Neo S is the robust, no-fuss core of your connected world, designed to deliver a seamless and responsive experience day in, day out. It's the dependable heart of your operation, freeing you from the bloat and vulnerabilities of standard PCs.

Perfect for a modern, centralised infrastructure

Ideal for

- Businesses deploying virtual desktops or cloud-based applications.
- Educational institutions and training centres requiring durable, consistent terminals.
- Industrial settings, retail point-of-sale, and digital signage where legacy connections are key.

- Any organisation prioritising security, lower maintenance, and reduced total cost of ownership.

Why choose the Neo S?

Experience effortless deployment and management. Its lean, purpose-built design ensures rapid start-up and consistent performance for your essential tasks. With robust construction and legacy ports, it integrates seamlessly into both new and existing setups. The included Thinvent® keyboard and mouse set offers a complete, out-of-the-box solution, ready for you to install your preferred secure operating system and connect to your network. This isn't just a thin client; it's a smarter, more streamlined way to work.

Thinvent Neo S Thin Client



Specifications

PROCESSING

Generation	7th
Series	Celeron
Processor Brand	Intel
Processor Model	J1900
Cores	4
Max Frequency	2.4 GHz
Cache	2 MB
Main Memory	4 GB
SSD Storage	128 GB

DISPLAY

HDMI	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.0	1
USB 2.0	4
Front Serial Port	2 DB9 male RS232
Parallel Port	1 DB25 female IEEE 1284

NETWORKING

Ethernet	1000 Mbps
----------	-----------

POWER

DC Voltage	19 Volts
DC Current	3 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	Thin Client
Thermal Design	Fanless Passive Cooling
Dimensions	204mm × 186.5mm × 53.5mm
Packing Dimensions	340mm × 235mm × 105mm
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.54kg, 1.96kg

ACCESSORIES

Keyboard and Mouse	1
--------------------	---

OPERATING SYSTEM

Operating System	Without OS
------------------	------------

