



Thinvent Neo S Thin Client

Intel processor J1900

4 core, up to 2.4 GHz, 2 MB cache

8GB DDR3 RAM


32GB MLC SSD + 32 GB MLC SSD

No WiFi

Without OS

Thinvent Keyboard and Mouse set

SKU: SB-B-8_3-S32_S32-19_1.5-X-W_OS-KM



The Engine for Your Digital Workspace.

Unleash a new level of reliability and simplicity in your office or industrial environment. The Thinvent® Neo S is the robust, no-fuss core of your connected world, designed to deliver a seamless and responsive experience day in, day out. It's the dependable heart of your operation, freeing you from the bloat and vulnerabilities of standard PCs.

Perfect for a modern, centralised infrastructure

Ideal for

- Businesses deploying virtual desktops or cloud-based applications.
- Educational institutions and training centres requiring durable, consistent terminals.
- Industrial settings, retail point-of-sale, and digital signage where legacy connections are key.

- Any organisation prioritising security, lower maintenance, and reduced total cost of ownership.

Why choose the Neo S?

Experience effortless deployment and management. Its lean, purpose-built design ensures rapid start-up and consistent performance for your essential tasks. With robust construction and legacy ports, it integrates seamlessly into both new and existing setups. The included Thinvent® keyboard and mouse set offers a complete, out-of-the-box solution, ready for you to install your preferred secure operating system and connect to your network. This isn't just a thin client; it's a smarter, more streamlined way to work.

Thinvent Neo S Thin Client



Specifications

PROCESSING

Generation	7th
Series	Celeron
Processor Brand	Intel
Processor Model	J1900
Cores	4
Max Frequency	2.4 GHz
Cache	2 MB
Main Memory	8 GB
SSD Storage	32 GB

DISPLAY

HDMI	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.0	1
USB 2.0	4
Front Serial Port	2 DB9 male RS232
Parallel Port	1 DB25 female IEEE 1284

NETWORKING

Ethernet	1000 Mbps
----------	-----------

POWER

DC Voltage	19 Volts
DC Current	1.5 Amps
Power Input	100~280 Volts AC, 50 Hz, 0.7 Amps maximum
Cable Length	1.8 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	Thin Client
Thermal Design	Fanless Passive Cooling
Dimensions	204mm × 186.5mm × 53.5mm
Packing Dimensions	340mm × 235mm × 105mm
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.43kg, 1.85kg

ACCESSORIES

Keyboard and Mouse	1
--------------------	---

OPERATING SYSTEM

Operating System	Without OS
------------------	------------

Ordering Information

PRODUCT CODE

SB-B-[RAM]-[SSD]-19_3-X-[OS]-[Accessories]

RAM	4_3 = 4GB DDR3	8_3 = 8GB DDR3
SSD	S32 = 32GB MLC S256 = 256GB m128_S32 = 128GB SSD + 32 GB MLC m32_S32 = 32GB SSD + 32 GB MLC	S128 = 128GB m128_S128 = Dual 128GB S128_S32 = 128GB SSD + 32 GB MLC S32_S32 = 32GB MLC SSD + 32 GB MLC
OS	D0S = DOS 11I = Windows 11 IoT Thinux = Thinux™ Embedded Linux	W_OS = Without OS 11P = Windows 11 Pro U = Ubuntu Linux
Accessories	0 = None MK = Mechanical Keyboard	KM = Keyboard and Mouse set Mo = Wired Optical Scroll Mouse

www.thinvent.insales@thinvent.in

+91-11-430-77467

 +91-99903-44251**R&D and Manufacturing**

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

