



Thinvent Treo Mini PC

Intel Core Ultra 5 125U processor

12 core, up to 4.3 GHz, 12 MB cache

Dual LAN

32GB DDR5 RAM (2 x 16GB)

1TB SSD

No WiFi

Thinux Embedded Linux

SKU: TREO-CU5_14L-16_5_16_5-M1024-12_5-X-THINUX-0



Engineered for endurance, born for purpose.

The Thinvent® Treo Mini PC isn't just hardware; it's the resilient digital heart for your most demanding environments. Built from solid aluminium for superior strength and cool, reliable operation, this 100% India-made powerhouse is where robust industrial design meets intelligent, focused performance.

Perfect for your critical operations

From the bustling factory floor to secure digital signage and dedicated control systems, the Treo thrives. Its fanless, solid-metal construction ensures silent, dust-resistant operation where others fail. Dual Ethernet ports provide unwavering network reliability for machine control or data aggregation, while the dedicated Thinux™ Embedded OS delivers a stable, secure, and bloat-free platform for your custom applications.

Why choose the Treo Mini PC

- Uncompromising reliability in a compact, VESA-mountable form factor.
- A pure, secure computing environment free from unnecessary software overhead.
- Exceptional thermal management through its all-aluminium chassis for 24/7 uptime.
- Tailored to your vision with options for custom colours and designs on large orders.
- Proudly supporting Indian manufacturing with a product built to last.

Deploy confidence. Choose the robust, made-in-India solution engineered for the long run.



Thinvent Treo Mini PC



Specifications

PROCESSING

Generation	14th
Series	Ultra 5
Processor Brand	Intel
Processor Model	125U
Cores	12
Max Frequency	4.3 GHz
Cache	12 MB
Main Memory	32 GB
SSD Storage	1024 GB

DISPLAY

HDMI 2.0	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1
Front Speaker Out	1
Front Mic In	1

CONNECTIVITY

USB 3.2	2
USB 2.0	2
Front USB 2.0	2
RS485 Option	1

NETWORKING

Ethernet	1000 Mbps
Ethernet Ports	2

POWER

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	Mini PC
Dimensions	199.5mm × 181.5mm × 29.5mm
Packing Dimensions	224mm × 319mm × 85mm
Housing Material	Aluminium
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.42kg, 1.65kg

ACCESSORIES

VESA Mount	1
------------	---

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

Ordering Information

PRODUCT CODE

Treo-cu5_14L-[RAM]-[SSD]-12_5-[Wireless]-[OS]-[Accessories]

RAM	8_5 = 8GB DDR5	16_5 = 16GB DDR5	32_5 = 32GB DDR5	32_5_32_5 = 64GB DDR5 RAM (2 x 32GB)
	16_5_16_5 = 32GB DDR5 RAM (2 x 16GB)			
SSD	m128 = 128GB	m256 = 256GB		
	m512 = 512GB	m1024 = 1TB		
Wireless	m = Dual Band WiFi	X = No WiFi		
OS	DOS = DOS	W_OS = Without OS		
	11V = Windows 11 IoT Value	11P = Windows 11 Pro		
	Thinix = Thinix™ Embedded Linux	U = Ubuntu Linux		
Accessories	0 = None	KM = Keyboard and Mouse set		
	MK = Mechanical Keyboard	Mo = Wired Optical Scroll Mouse		

www.thinvent.insales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

