

## Intel Core i3-1215U processor

6 core, up to 4.4 GHz, 10 MB cache

32GB DDR4 RAM

512GB SSD

No WiFi

DOS



SKU: TREO-I3\_12-32-M512-12\_5-X-DOS-0

Unleash Compact Power. Engineered for Excellence, Made in India.

Experience the future of compact computing with the Thinvent® Treo Mini PC, a powerhouse meticulously 100% designed and made in India. Engineered for demanding tasks, this mini PC offers robust performance in an incredibly small footprint.

### Performance Highlights

- Intel® Core™ i3-1215U processor with 6 cores for blazing-fast multitasking
- Max frequency of up to 4.4 GHz and 10 MB cache for seamless operation
- 8GB DDR4 RAM ensures smooth application handling
- Ultra-fast 512GB SSD for instant boot-ups and rapid data access

### Built to Last

Crafted from solid, powder-coated black Aluminium, the Treo Mini PC boasts exceptional heat dissipation for silent, stable performance. Its solid metal build and smooth finish embody premium quality and durability, designed to thrive even in challenging environments from 0°C to 40°C. Measuring just 199.5mm × 181.5mm × 29.5mm, it saves valuable desk space and can be discreetly mounted with its integrated VESA support.

### Connectivity & Adaptability

The Treo Mini PC provides comprehensive connectivity for all your peripherals

- 1x HDMI and 1x VGA for versatile display options
- Total of 6x USB ports (2x USB 3.2, 4x front USB 2.0, 2x rear USB 2.0) for expansive peripheral support
- Dedicated speaker out and mic in ports (front and rear)
- Gigabit Ethernet (1000 Mbps) for secure, high-speed wired networking
- Reliable 12V 7A power adapter with wide 100~275V AC input compatibility

This model comes with FreeDOS, offering you complete freedom to install your preferred operating system. For large requirements, we offer customisable colours and designs to perfectly match your specific needs. Certified with RoHS, ISO, and BIS, the Thinvent® Treo Mini PC stands for quality, reliability, and local innovation.



## Specifications

### PROCESSING

---

Generation	12th
Series	i3
Processor Brand	Intel
Processor Model	1215U
Cores	6
Max Frequency	4.4 GHz
Cache	10 MB
Main Memory	32 GB
SSD Storage	512 GB

### DISPLAY

---

HDMI	1
VGA	1

### AUDIO

---

Speaker Out	1
Mic In	1
Front Speaker Out	1
Front Mic In	1

### CONNECTIVITY

---

USB 3.2	2
USB 2.0	2
Front USB 2.0	3
RS485 Option	1

### NETWORKING

---

Ethernet	1000 Mbps
----------	-----------

### POWER

---

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

### ENVIRONMENTAL

---

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

### PHYSICAL

---

Form Factor	Mini PC
Dimensions	199.5mm × 181.5mm × 29.5mm
Packing Dimensions	224mm × 319mm × 85mm
Housing Material	Aluminium
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.39kg, 1.61kg

### ACCESSORIES

---

VESA Mount	1
------------	---

### OPERATING SYSTEM

---

Operating System	FreeDOS
------------------	---------

## Ordering Information

PRODUCT CODE	
<b>Treo-i3_12-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]</b>	
<b>RAM</b>	<b>4</b> = 4GB DDR4 <b>8</b> = 8GB DDR4 <b>16</b> = 16GB DDR4 <b>32</b> = 32GB DDR4 <b>64</b> = 64GB DDR4
<b>SSD</b>	<b>m128</b> = 128GB <b>m256</b> = 256GB <b>m32</b> = 32GB <b>m512</b> = 512GB <b>m1024</b> = 1TB
<b>Wireless</b>	<b>m</b> = Dual Band WiFi <b>X</b> = No WiFi
<b>OS</b>	<b>DOS</b> = DOS <b>W_OS</b> = Without OS <b>11V</b> = Windows 11 IoT Value <b>11P</b> = Windows 11 Pro <b>Thinux</b> = Thinux™ Embedded Linux <b>U</b> = Ubuntu Linux
<b>Accessories</b>	<b>0</b> = None <b>KM</b> = Keyboard and Mouse set <b>MK</b> = Mechanical Keyboard <b>Mo</b> = Wired Optical Scroll Mouse

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251

**R&D and Manufacturing**  
 #11 Sports Complex  
 Salvador Do Mundo  
 North Goa - 403101, India

**Sales**  
 UGF-10-A Omaxe Gurgaon Mall  
 Sector 49, Sohna Road  
 Gurgaon - 122018, India

