

Intel Core i5-1240P processor

12 core, up to 4.4 GHz, 12 MB cache

Dual LAN

8GB DDR4 RAM

512GB SSD

No WiFi

DOS



SKU: TREO-I5_12L-8-M512-12_5-X-DOS-0

Engineered for Endurance, Crafted with Pride.

Uncompromising Power in a Compact Frame

Harness the robust performance of this entirely Indian-made mini PC, designed for demanding industrial environments. Its solid aluminium chassis isn't just about a sleek, smooth finish; it actively dissipates heat to ensure unwavering reliability where it matters most.

Built for Your Business

- Deploy a silent, space-saving workhorse for digital signage, point-of-sale systems, or factory floor control panels.
- Benefit from dual Ethernet ports for reliable, wired network redundancy in critical operations.

- Enjoy the versatility of multiple connectivity options to interface with a wide range of peripherals and displays.

A Foundation for Your Vision

Supplied with a base operating system, this machine is a blank canvas ready to be configured with your specialised software. Its resilient metal build is prepared for 24/7 duty, offering steadfast performance in challenging conditions.

Make It Uniquely Yours

Have a large-scale deployment? We offer customisation in colours and design, allowing you to tailor these durable units to your corporate identity or specific application needs. Choose a partner that builds strength and adaptability into every component.



Thinvent Treo Mini PC



Specifications

PROCESSING

| | |
|-----------------|---------|
| Generation | 12th |
| Series | i5 |
| Processor Brand | Intel |
| Processor Model | 1240P |
| Cores | 12 |
| Max Frequency | 4.4 GHz |
| Cache | 12 MB |
| Main Memory | 8 GB |
| SSD Storage | 512 GB |

DISPLAY

| | |
|------|---|
| HDMI | 1 |
| VGA | 1 |

AUDIO

| | |
|-------------------|---|
| Speaker Out | 1 |
| Mic In | 1 |
| Front Speaker Out | 1 |
| Front Mic In | 1 |

CONNECTIVITY

| | |
|---------------|---|
| USB 3.2 | 2 |
| Front USB 2.0 | 4 |

NETWORKING

| | |
|----------------|-----------|
| Ethernet | 1000 Mbps |
| Ethernet Ports | 2 |

POWER

| | |
|--------------|--|
| DC Voltage | 12 Volts |
| DC Current | 5 Amps |
| Power Input | 100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum |
| Cable Length | 2 Metre |

ENVIRONMENTAL

| | |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 40°C |
| Operating Humidity | 20% ~ 80% RH, non condensing |
| Certifications | BIS, RoHS, ISO |

PHYSICAL

| | |
|----------------------|----------------------------|
| Form Factor | Mini PC |
| Dimensions | 199.5mm × 181.5mm × 29.5mm |
| Packing Dimensions | 224mm × 319mm × 85mm |
| Housing Material | Aluminium |
| Housing Finish | Powder Coated |
| Housing Colour | Black |
| Net and Gross Weight | 1.42kg, 1.65kg |

ACCESSORIES

| | |
|------------|---|
| VESA Mount | 1 |
|------------|---|

OPERATING SYSTEM

| | |
|------------------|---------|
| Operating System | FreeDOS |
|------------------|---------|

Ordering Information

| PRODUCT CODE | |
|---|--|
| Treo-i5_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories] | |
| RAM | 4 = 4GB DDR4 8 = 8GB DDR4 16 = 16GB DDR4 32 = 32GB DDR4 64 = 64GB DDR4 |
| SSD | m128 = 128GB m256 = 256GB m32 = 32GB m512 = 512GB m1024 = 1TB |
| Wireless | m = Dual Band WiFi X = No WiFi |
| OS | DOS = DOS W_OS = Without OS 11V = Windows 11 IoT Value 11P = Windows 11 Pro Thinux = Thinux™ Embedded Linux U = Ubuntu Linux |
| Accessories | 0 = None KM = Keyboard and Mouse set MK = Mechanical Keyboard Mo = Wired Optical Scroll Mouse |

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing
 #11 Sports Complex
 Salvador Do Mundo
 North Goa - 403101, India

Sales
 UGF-10-A Omaxe Gurgaon Mall
 Sector 49, Sohna Road
 Gurgaon - 122018, India

