



Thinvent Uno 21.5" All in One PC

Intel Core i3-1215U processor

6 core, up to 4.4 GHz, 10 MB cache

Dual LAN

32GB DDR4 RAM

1TB SSD

No WiFi

Thinix Embedded Linux

Fixed Stand

SKU: UNO22-I3_12L-32-M1024-12_7-X-THINUX-F



The Unshakeable Core of Your Operation: Thinvent Uno.

Where Reliability Meets Simplicity

In demanding environments, you need technology that simply works, day in and day out. The Thinvent Uno All-in-One PC is built to be the steadfast digital heart of your business. Its streamlined, integrated design eliminates clutter and complexity, giving you a robust and focused workstation for your most critical tasks.

Engineered for Endurance

- Benefit from exceptional stability with our dedicated Thinix operating system, designed for 24/7 operation without bloat or unwanted updates.
- Connect with absolute reliability using dual Gigabit Ethernet ports, perfect for network redundancy or connecting to two separate systems.

- Enjoy a crisp, clear view on the large 21.5" display, ideal for monitoring dashboards, managing inventory, or client-facing information points.

Your Platform for Purpose-Built Applications

This is more than a computer; it's a dedicated platform. The Uno excels as a kiosk, digital signage player, or industrial terminal. Its robust construction and fixed stand ensure it stays securely in place, while the versatile software support allows for custom applications in Java or Python. Remotely manage and troubleshoot with ease using the built-in browser-based tools, keeping your operations running smoothly from anywhere. Choose the Thinvent Uno for a no-nonsense computing solution that puts durability and dependability first.



Thinvent Uno 21.5" All in One PC



Specifications

PROCESSING

| | |
|-----------------|---------|
| Generation | 12th |
| Series | i3 |
| Processor Brand | Intel |
| Processor Model | 1215U |
| Cores | 6 |
| Max Frequency | 4.4 GHz |
| Cache | 10 MB |
| Main Memory | 32 GB |
| SSD Storage | 1024 GB |

DISPLAY

| | |
|---------------|--------------------------------|
| Screen Size | 21.5 inch |
| Resolution | 1920 × 1080 |
| Brightness | 250 nits |
| Viewing Angle | Horizontal 178°, Vertical 178° |
| Camera | Pop up, 2 Megapixel |
| HDMI | 1 |
| VGA | 1 |

AUDIO

| | |
|-------------|-------------|
| Speakers | 2 × 3 Watts |
| Speaker Out | 1 |
| Mic In | 1 |

CONNECTIVITY

| | |
|--------------|---|
| USB 3.2 | 2 |
| Side USB 2.0 | 2 |
| RS485 Option | 1 |

NETWORKING

| | |
|----------------|-----------|
| Ethernet | 1000 Mbps |
| Ethernet Ports | 2 |

POWER

| | |
|-------------|---------------------------------|
| DC Voltage | 12 Volts |
| DC Current | 7 Amps |
| Power Input | 100~275 Volts AC, 50~60 Hz, 1.5 |

ENVIRONMENTAL

| | |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 35°C |
| Operating Humidity | 20% ~ 80% RH, non condensing |
| Certifications | BIS, RoHS, ISO |

PHYSICAL

| | |
|----------------------|--|
| Form Factor | All-in-One |
| Stand | Fixed |
| Dimensions | 490mm × 378mm × 55mm |
| Housing Material | Aluminium alloy, steel and ABS Plastic |
| Housing Colour | Black |
| Kensington Lock | Yes |
| Net and Gross Weight | 8.10kg, 8.10kg |

OPERATING SYSTEM

| | |
|------------------|--|
| Operating System | Thinvent® Thinux™ Embedded Linux |
| OS Features | Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP. |

Amps maximum

Cable Length

2 Metre

Ordering Information

| PRODUCT CODE | |
|---|--|
| Uno22-i3_12l-[RAM]-[SSD]-12_10-[Wireless]-[OS]-[Accessories] | |
| RAM | 4 = 4GB DDR4 8 = 8GB DDR4 16 = 16GB DDR4 32 = 32GB DDR4 64 = 64GB DDR4 |
| SSD | m128 = 128GB m256 = 256GB m32 = 32GB m512 = 512GB m1024 = 1TB |
| Wireless | m = Dual Band WiFi X = No WiFi |
| OS | DOS = DOS W_OS = Without OS 11V = Windows 11 IoT Value 11P = Windows 11 Pro Thinix = Thinix™ Embedded Linux U = Ubuntu Linux |
| Accessories | F = Fixed Stand HA = Height Adjustable Stand |

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing
 #11 Sports Complex
 Salvador Do Mundo
 North Goa - 403101, India

Sales
 UGF-10-A Omaxe Gurgaon Mall
 Sector 49, Sohna Road
 Gurgaon - 122018, India

