



Thinvent Uno 21.5" All in One PC

Intel Core i3-1215U processor

6 core, up to 4.4 GHz, 10 MB cache

Dual LAN

32GB DDR4 RAM

512GB SSD

Dual Band WiFi

Thinux Embedded Linux

Fixed Stand

SKU: UNO22-I3_12L-32-M512-12_5-M-THINUX-F



The streamlined workhorse for modern business: Meet the Thinvent® Uno.

Built for reliability and simplicity, this all-in-one PC is your steadfast partner for daily operations. It consolidates your entire workstation into a single, elegant unit, saving valuable desk space and reducing cable clutter. The integrated 21.5" screen provides a crisp, clear view for everything from client presentations to detailed monitoring tasks.

Engineered for continuous operation

- Tackle everyday business applications with smooth, responsive performance, keeping workflows efficient.
- Connect seamlessly to multiple networks or devices with dual Ethernet ports, ideal for secure or segmented operational environments.

- Enjoy versatile connectivity for peripherals, supporting a wide array of essential workplace tools.
 - Benefit from enhanced security and stability with the dedicated Thinux™ operating system, designed for 24/7 reliability.
 - Deploy and manage with ease using browser-based remote tools, simplifying IT oversight across your facility.
- Ideal for digital signage, point-of-sale systems, kiosks, or as a dedicated workstation in factories, labs, and control rooms. The Uno delivers focused performance where you need it most, day in and day out.



Thinvent Uno 21.5" All in One PC



Specifications

PROCESSING

Generation	12th
Series	i3
Processor Brand	Intel
Processor Model	1215U
Cores	6
Max Frequency	4.4 GHz
Cache	10 MB
Main Memory	32 GB
SSD Storage	512 GB

DISPLAY

Screen Size	21.5 inch
Resolution	1920 × 1080
Brightness	250 nits
Viewing Angle	Horizontal 178°, Vertical 178°
Camera	Pop up, 2 Megapixel
HDMI	1
VGA	1

AUDIO

Speakers	2 × 3 Watts
Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2	2
Side USB 2.0	2
RS485 Option	1

NETWORKING

Ethernet	1000 Mbps
Ethernet Ports	2
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

POWER

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5

ENVIRONMENTAL

Operating Temperature	0°C ~ 35°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	All-in-One
Stand	Fixed
Dimensions	490mm × 378mm × 55mm
Housing Material	Aluminium alloy, steel and ABS Plastic
Housing Colour	Black
Kensington Lock	Yes
Net and Gross Weight	8.00kg, 8.00kg

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

Amps maximum

Cable Length

2 Metre

Ordering Information

PRODUCT CODE	
Uno22-i3_12l-[RAM]-[SSD]-12_10-[Wireless]-[OS]-[Accessories]	
RAM	4 = 4GB DDR4 8 = 8GB DDR4 16 = 16GB DDR4 32 = 32GB DDR4 64 = 64GB DDR4
SSD	m128 = 128GB m256 = 256GB m32 = 32GB m512 = 512GB m1024 = 1TB
Wireless	m = Dual Band WiFi X = No WiFi
OS	DOS = DOS W_OS = Without OS 11V = Windows 11 IoT Value 11P = Windows 11 Pro Thinix = Thinix™ Embedded Linux U = Ubuntu Linux
Accessories	F = Fixed Stand HA = Height Adjustable Stand

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing
 #11 Sports Complex
 Salvador Do Mundo
 North Goa - 403101, India

Sales
 UGF-10-A Omaxe Gurgaon Mall
 Sector 49, Sohna Road
 Gurgaon - 122018, India

