



# Thinvent Uno 21.5" All in One PC

## Intel Core i5-1240P processor

12 core, up to 4.4 GHz, 12 MB cache

## Dual LAN

## 16GB DDR4 RAM

## 512GB SSD

## No WiFi

## Thinux Embedded Linux

## Fixed Stand

SKU: UNO22-I5\_12L-16-M512-12\_10-X-THINUX-F



The Complete Digital Hub for Demanding Environments: Meet the Thinvent Uno All-in-One PC. This isn't just a computer; it's a robust, purpose-built solution engineered for reliability where it matters most. Its streamlined, all-in-one design and industrial-grade components ensure it thrives in settings where standard PCs simply can't.

### Engineered for Unwavering Performance

- Experience smooth, responsive operation for critical applications, from digital signage and point-of-sale to interactive kiosks and industrial control panels.
- Benefit from dual Ethernet ports for maximum network reliability and flexibility, perfect for secure, dedicated connections.
- Enjoy the simplicity of a clutter-free setup with an integrated 21.5" display and a rugged, space-saving fixed stand.

- Leverage the power and stability of Thinux™ Embedded Linux, a secure OS designed for dedicated tasks, long-term operation, and easy remote management.
- Control and monitor your deployment effortlessly with integrated browser-based remote management tools.
- Rest easy with robust physical security via a Kensington lock slot, keeping your hardware exactly where it needs to be.

Choose the Thinvent Uno for a dependable, no-fuss computing foundation. It delivers focused performance, operational resilience, and streamlined management, allowing you to concentrate on your core business without worrying about your technology.

### Built to Simplify and Secure



# Thinvent Uno 21.5" All in One PC



## Specifications

### PROCESSING

---

Generation	12th
Series	i5
Processor Brand	Intel
Processor Model	1240P
Cores	12
Max Frequency	4.4 GHz
Cache	12 MB
Main Memory	16 GB
SSD Storage	512 GB

### DISPLAY

---

Screen Size	21.5 inch
Resolution	1920 × 1080
Brightness	250 nits
Viewing Angle	Horizontal 178°, Vertical 178°
Camera	Pop up, 2 Megapixel
HDMI	1
VGA	1

### AUDIO

---

Speakers	2 × 3 Watts
Speaker Out	1
Mic In	1

### CONNECTIVITY

---

USB 3.2	2
Side USB 2.0	2

### NETWORKING

---

Ethernet	1000 Mbps
Ethernet Ports	2

### POWER

---

DC Voltage	12 Volts
DC Current	10 Amps
Power Input	100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

### ENVIRONMENTAL

---

Operating Temperature	0°C ~ 35°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

### PHYSICAL

---

Form Factor	All-in-One
Stand	Fixed
Dimensions	490mm × 378mm × 55mm
Housing Material	Aluminium alloy, steel and ABS Plastic
Housing Colour	Black
Kensington Lock	Yes
Net and Gross Weight	8.13kg, 8.13kg

### OPERATING SYSTEM

---

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.



## Ordering Information

PRODUCT CODE	
<b>Uno22-i5_12l-[RAM]-[SSD]-12_10-[Wireless]-[OS]-[Accessories]</b>	
RAM	<b>4</b> = 4GB DDR4 <b>8</b> = 8GB DDR4 <b>16</b> = 16GB DDR4 <b>32</b> = 32GB DDR4 <b>64</b> = 64GB DDR4
SSD	<b>m128</b> = 128GB <b>m256</b> = 256GB <b>m32</b> = 32GB <b>m512</b> = 512GB <b>m1024</b> = 1TB
Wireless	<b>m</b> = Dual Band WiFi <b>X</b> = No WiFi
OS	<b>DOS</b> = DOS <b>W_OS</b> = Without OS <b>11V</b> = Windows 11 IoT Value <b>11P</b> = Windows 11 Pro <b>Thinux</b> = Thinux™ Embedded Linux <b>U</b> = Ubuntu Linux
Accessories	<b>F</b> = Fixed Stand <b>HA</b> = Height Adjustable Stand

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

+91-99903-44251

**R&D and Manufacturing**  
 #11 Sports Complex  
 Salvador Do Mundo  
 North Goa - 403101, India

**Sales**  
 UGF-10-A Omaxe Gurgaon Mall  
 Sector 49, Sohna Road  
 Gurgaon - 122018, India

