



Thinvent Uno 21.5" All in One PC

Intel Core i7-1255U processor

10 core, up to 4.7 GHz, 12 MB cache

Dual LAN

16GB DDR4 RAM

1TB SSD

Dual Band WiFi

Thinux Embedded Linux

Height Adjustable Stand

SKU: UNO22-I7_12L-16-M1024-12_10-M-THINUX-HA



Unlock the future of industrial computing with the sleek Thinvent® Uno All-in-One PC.

Empowering Your Digital Workspace

Experience a new level of clarity and control with the expansive 21.5" display, housed in a robust, space-saving aluminium alloy chassis. Its height-adjustable stand ensures ergonomic comfort for every operator, reducing fatigue and boosting productivity throughout long shifts.

Engineered for Reliable Performance

Tackle demanding industrial applications with smooth, responsive processing power. This system is built for 24/7 reliability in challenging environments, from factory floors to control rooms, ensuring your critical operations never miss a beat.

Seamless Connectivity and Control

Stay connected and in command with versatile networking options, including dual Gigabit Ethernet ports for robust data transfer and network redundancy. The integrated pop-up camera and high-fidelity audio support clear communication for video conferencing and VoIP, keeping your teams perfectly synchronised.

Simplified Management and Security

Gain peace of mind with the secure and stable Thinux™ embedded operating system. Enjoy streamlined remote management and monitoring capabilities, allowing your IT team to maintain and troubleshoot systems efficiently from a central location, minimising downtime and maximising security.



Thinvent Uno 21.5" All in One PC



Specifications

PROCESSING

Generation	12th
Series	i7
Processor Brand	Intel
Processor Model	1255U
Cores	10
Max Frequency	4.7 GHz
Cache	12 MB
Main Memory	16 GB
SSD Storage	1024 GB

DISPLAY

Screen Size	21.5 inch
Resolution	1920 × 1080
Brightness	250 nits
Viewing Angle	Horizontal 178°, Vertical 178°
Camera	Pop up, 2 Megapixel
HDMI	1
VGA	1

AUDIO

Speakers	2 × 3 Watts
Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2	2
Side USB 2.0	2
RS485 Option	1

NETWORKING

Ethernet	1000 Mbps
Ethernet Ports	2
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

POWER

DC Voltage	12 Volts
DC Current	10 Amps
Power Input	100~275 Volts AC, 50~60 Hz, 1.5

ENVIRONMENTAL

Operating Temperature	0°C ~ 35°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	All-in-One
Stand	Height Adjustable
Dimensions	490mm × 378mm × 55mm
Housing Material	Aluminium alloy, steel and ABS Plastic
Housing Colour	Black
Kensington Lock	Yes
Net and Gross Weight	8.13kg, 8.13kg

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

Amps maximum

Cable Length

2 Metre

Ordering Information

PRODUCT CODE	
Uno22-i7_12l-[RAM]-[SSD]-12_10-[Wireless]-[OS]-[Accessories]	
RAM	4 = 4GB DDR4 8 = 8GB DDR4 16 = 16GB DDR4 32 = 32GB DDR4 64 = 64GB DDR4
SSD	m128 = 128GB m256 = 256GB m32 = 32GB m512 = 512GB m1024 = 1TB
Wireless	m = Dual Band WiFi X = No WiFi
OS	DOS = DOS W_OS = Without OS 11V = Windows 11 IoT Value 11P = Windows 11 Pro Thinix = Thinix™ Embedded Linux U = Ubuntu Linux
Accessories	F = Fixed Stand HA = Height Adjustable Stand

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing
 #11 Sports Complex
 Salvador Do Mundo
 North Goa - 403101, India

Sales
 UGF-10-A Omaxe Gurgaon Mall
 Sector 49, Sohna Road
 Gurgaon - 122018, India

