



Thinvent Uno 21.5" All in One PC

Intel Core i7-1255U processor

10 core, up to 4.7 GHz, 12 MB cache

Dual LAN

32GB DDR4 RAM

512GB SSD

Dual Band WiFi

Thinix Embedded Linux

Height Adjustable Stand

SKU: UNO22-I7_12L-32-M512-12_5-M-THINUX-HA



Unlock the future of industrial computing with the sleek Thinvent® Uno All-in-One PC.

Empowering Your Digital Workspace

Experience a new level of clarity and control with the expansive 21.5" display, housed in a robust, space-saving aluminium alloy chassis. Its height-adjustable stand ensures ergonomic comfort for every operator, reducing fatigue and boosting productivity throughout long shifts.

Engineered for Reliable Performance

Tackle demanding industrial applications with smooth, responsive processing power. This system is built for 24/7 reliability in challenging environments, from factory floors to control rooms, ensuring your critical operations never miss a beat.

Seamless Connectivity and Control

Stay connected and in command with versatile networking options, including dual Gigabit Ethernet ports for robust data transfer and network redundancy. The integrated pop-up camera and high-fidelity audio support clear communication for video conferencing and VoIP, keeping your teams perfectly synchronised.

Simplified Management and Security

Gain peace of mind with the secure and stable Thinix™ embedded operating system. Enjoy streamlined remote management and monitoring capabilities, allowing your IT team to maintain and troubleshoot systems efficiently from a central location, minimising downtime and maximising security.



Thinvent Uno 21.5" All in One PC



Specifications

PROCESSING

| | |
|-----------------|---------|
| Generation | 12th |
| Series | i7 |
| Processor Brand | Intel |
| Processor Model | 1255U |
| Cores | 10 |
| Max Frequency | 4.7 GHz |
| Cache | 12 MB |
| Main Memory | 32 GB |
| SSD Storage | 512 GB |

DISPLAY

| | |
|---------------|--------------------------------|
| Screen Size | 21.5 inch |
| Resolution | 1920 × 1080 |
| Brightness | 250 nits |
| Viewing Angle | Horizontal 178°, Vertical 178° |
| Camera | Pop up, 2 Megapixel |
| HDMI | 1 |
| VGA | 1 |

AUDIO

| | |
|-------------|-------------|
| Speakers | 2 × 3 Watts |
| Speaker Out | 1 |
| Mic In | 1 |

CONNECTIVITY

| | |
|--------------|---|
| USB 3.2 | 2 |
| Side USB 2.0 | 2 |
| RS485 Option | 1 |

NETWORKING

| | |
|---------------------|-------------------------------|
| Ethernet | 1000 Mbps |
| Ethernet Ports | 2 |
| Wireless Networking | Wi-Fi 5 (802.11ac), dual band |

POWER

| | |
|-------------|---------------------------------|
| DC Voltage | 12 Volts |
| DC Current | 5 Amps |
| Power Input | 100~240 Volts AC, 50~60 Hz, 1.5 |

ENVIRONMENTAL

| | |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 35°C |
| Operating Humidity | 20% ~ 80% RH, non condensing |
| Certifications | BIS, RoHS, ISO |

PHYSICAL

| | |
|----------------------|--|
| Form Factor | All-in-One |
| Stand | Height Adjustable |
| Dimensions | 490mm × 378mm × 55mm |
| Housing Material | Aluminium alloy, steel and ABS Plastic |
| Housing Colour | Black |
| Kensington Lock | Yes |
| Net and Gross Weight | 8.03kg, 8.03kg |

OPERATING SYSTEM

| | |
|------------------|--|
| Operating System | Thinvent® Thinux™ Embedded Linux |
| OS Features | Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP. |

Amps maximum

Cable Length

2 Metre

Ordering Information

| PRODUCT CODE | |
|---|--|
| Uno22-i7_12l-[RAM]-[SSD]-12_10-[Wireless]-[OS]-[Accessories] | |
| RAM | 4 = 4GB DDR4 8 = 8GB DDR4 16 = 16GB DDR4 32 = 32GB DDR4 64 = 64GB DDR4 |
| SSD | m128 = 128GB m256 = 256GB m32 = 32GB m512 = 512GB m1024 = 1TB |
| Wireless | m = Dual Band WiFi X = No WiFi |
| OS | DOS = DOS W_OS = Without OS 11V = Windows 11 IoT Value 11P = Windows 11 Pro Thinux = Thinux™ Embedded Linux U = Ubuntu Linux |
| Accessories | F = Fixed Stand HA = Height Adjustable Stand |

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

