



## Thinvent Uno 21.5" All in One PC

**AMD Ryzen 5 7430U processor**

6 core, up to 4.3 GHz, 16 MB cache

**16GB DDR4 RAM**

**1TB SSD**

**No WiFi**

**Thinux Embedded Linux**

**Fixed Stand**

SKU: UNO22-R5\_7-16-M1024-19\_7-X-THINUX-F



Powerful performance, streamlined design – the Thinvent Uno 21.5" redefines industrial computing.

### Why choose the Thinvent Uno 21.5" All in One

- Reliable AMD Ryzen™ 5 processing ensures smooth multitasking, even under heavy workloads.
- The all-in-one form factor saves valuable desk space and reduces cable clutter.
- Thinux™ Embedded Linux offers a secure, stable foundation with built-in browsers, remote desktop tools, and productivity software.
- The full HD 21.5" display delivers crisp visuals from wide viewing angles, ideal for interactive applications.
- Wired Ethernet guarantees fast,



# Thinvent Uno 21.5" All in One PC



## Specifications

### PROCESSING

|                 |             |
|-----------------|-------------|
| Generation      | 7000 Series |
| Series          | Ryzen 5     |
| Processor Brand | AMD         |
| Processor Model | 7430U       |
| Cores           | 6           |
| Max Frequency   | 4.3 GHz     |
| Cache           | 16 MB       |
| Main Memory     | 16 GB       |
| SSD Storage     | 1024 GB     |

### DISPLAY

|               |                                |
|---------------|--------------------------------|
| Screen Size   | 21.5 inch                      |
| Resolution    | 1920 × 1080                    |
| Brightness    | 250 nits                       |
| Viewing Angle | Horizontal 178°, Vertical 178° |
| Camera        | Pop up, 2 Megapixel            |
| HDMI          | 1                              |
| VGA           | 1                              |

### AUDIO

|             |             |
|-------------|-------------|
| Speakers    | 2 × 3 Watts |
| Speaker Out | 1           |
| Mic In      | 1           |

### CONNECTIVITY

|               |   |
|---------------|---|
| USB 3.2 Gen 1 | 2 |
| USB 2.0       | 2 |
| Side USB 2.0  | 2 |

### NETWORKING

|          |           |
|----------|-----------|
| Ethernet | 1000 Mbps |
|----------|-----------|

### POWER

|              |                                              |
|--------------|----------------------------------------------|
| DC Voltage   | 19 Volts                                     |
| DC Current   | 7 Amps                                       |
| Power Input  | 100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum |
| Cable Length | 1.5 Metre                                    |

### ENVIRONMENTAL

|                       |                              |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 35°C                   |
| Operating Humidity    | 20% ~ 80% RH, non condensing |
| Certifications        | BIS, RoHS, ISO               |

### PHYSICAL

|                      |                                        |
|----------------------|----------------------------------------|
| Form Factor          | All-in-One                             |
| Stand                | Fixed                                  |
| Dimensions           | 490mm × 378mm × 55mm                   |
| Housing Material     | Aluminium alloy, steel and ABS Plastic |
| Housing Colour       | Black                                  |
| Kensington Lock      | Yes                                    |
| Net and Gross Weight | 7.21kg, 7.21kg                         |

### OPERATING SYSTEM

|                  |                                                                                                                                                                                                                                                                                                                                    |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Operating System | Thinvent® Thinux™ Embedded Linux                                                                                                                                                                                                                                                                                                   |
| OS Features      | Chromium and Mozilla Firefox browsers.<br>RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display.<br>Browser based remote management. VNC shadowing.<br>Java, Python and glibc based location application support.<br>LibreOffice and PDF viewer.<br>Multimedia player with MPEG4 support.<br>SIP video and voice over IP. |

Cable Length

1.5 metre



# Thinvent Uno 21.5" All in One PC

## Ordering Information

### PRODUCT CODE

Uno22-r5\_7-[RAM]-[SSD]-19\_7-[Wireless]-[OS]-[Accessories]

|             |                                               |                                               |                                         |                       |
|-------------|-----------------------------------------------|-----------------------------------------------|-----------------------------------------|-----------------------|
| RAM         | <b>4</b> = 4GB DDR4                           | <b>8</b> = 8GB DDR4                           | <b>16</b> = 16GB DDR4                   | <b>32</b> = 32GB DDR4 |
|             | <b>32_32</b> = 64GB<br>DDR4 RAM (2 x<br>32GB) | <b>16_16</b> = 32GB<br>DDR4 RAM (2 x<br>16GB) | <b>8_8</b> = 16GB DDR4<br>RAM (2 x 8GB) |                       |
| SSD         | <b>m128</b> = 128GB                           |                                               | <b>m256</b> = 256GB                     |                       |
|             | <b>m512</b> = 512GB                           |                                               | <b>m1024</b> = 1TB                      |                       |
| Wireless    | <b>m</b> = Dual Band WiFi                     |                                               | <b>X</b> = No WiFi                      |                       |
| OS          | <b>DOS</b> = DOS                              |                                               | <b>W_OS</b> = Without OS                |                       |
|             | <b>11V</b> = Windows 11 IoT Value             |                                               | <b>11P</b> = Windows 11 Pro             |                       |
|             | <b>Thinix</b> = Thinix™ Embedded Linux        |                                               | <b>U</b> = Ubuntu Linux                 |                       |
| Accessories | <b>F</b> = Fixed Stand                        |                                               | <b>HA</b> = Height Adjustable Stand     |                       |

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251

### R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

### Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

