



# Thinvent Uno 23.8" All in One PC

## Intel Core Ultra 5 125U processor

12 core, up to 4.3 GHz, 12 MB cache

## Dual LAN

## 16GB DDR5 RAM

## 32GB SSD

## Dual Band WiFi

## Thinix Embedded Linux

## Height Adjustable Stand

SKU: UNO24-CU5\_14L-16\_5-M32-12\_7-M-THINUX-HA



The seamless all-in-one for business-critical displays.

Designed for reliability and simplified management, the Thinvent Uno is the clear choice for digital signage, interactive kiosks, and streamlined workstation deployments. Its all-in-one design eliminates clutter and maximises space, while its robust construction ensures it keeps performing day in, day out.


### Why choose the Thinvent Uno

- Effortless deployment: Get up and running quickly with a pre-configured, purpose-built system that reduces setup complexity.
- Built for 24/7 operation: Engineered with industrial-grade components for unwavering reliability in demanding environments.

- Simplified remote management: Centrally monitor, update, and control your entire fleet of devices from anywhere, cutting down on-site visits.
- Versatile connectivity: Dual Ethernet ports and flexible I/O options allow for easy integration into existing networks and peripherals.
- Space-saving elegance: The sleek, integrated design with a crisp 23.8" display presents a professional image in any setting.

### Ideal for

Powering point-of-sale systems, information displays in retail or hospitality, and dedicated workstations in factories and control rooms. It's the robust, manageable computing solution you can install and forget.



# Thinvent Uno 23.8" All in One PC



## Specifications

### PROCESSING

---

Generation	14th
Series	Ultra 5
Processor Brand	Intel
Processor Model	125U
Cores	12
Max Frequency	4.3 GHz
Cache	12 MB
Main Memory	16 GB
SSD Storage	32 GB

### DISPLAY

---

Screen Size	23.8 inch
Resolution	1920 × 1080
Brightness	250 nits
Viewing Angle	Horizontal 178°, Vertical 178°
Camera	Pop up, 2 Megapixel
HDMI 2.0	1
VGA	1

### AUDIO

---

Speakers	2 × 3 Watts
Speaker Out	1
Mic In	1

### CONNECTIVITY

---

USB 3.2	2
USB 2.0	2
Side USB 2.0	2
RS485 Option	1

### NETWORKING

---

Ethernet	1000 Mbps
Ethernet Ports	2
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

### POWER

---

DC Voltage	12 Volts
------------	----------

### ENVIRONMENTAL

---

Operating Temperature	0°C ~ 35°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

### PHYSICAL

---

Form Factor	All-in-One
Stand	Height Adjustable
Dimensions	541mm × 400mm × 55mm
Housing Material	Aluminium alloy, steel and ABS Plastic
Housing Colour	Black
Kensington Lock	Yes
Net and Gross Weight	8.53kg, 8.53kg

### OPERATING SYSTEM

---

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

<b>DC Current</b>	7 Amps
<b>Power Input</b>	100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum
<b>Cable Length</b>	2 Metre

## Ordering Information

PRODUCT CODE			
<b>Uno24-cu5_14l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]</b>			
RAM	<b>8_5</b> = 8GB DDR5	<b>16_5</b> = 16GB DDR5	<b>32_5</b> = 32GB DDR5
SSD	<b>m128</b> = 128GB <b>m32</b> = 32GB <b>m1024</b> = 1TB		<b>m256</b> = 256GB <b>m512</b> = 512GB
Wireless	<b>m</b> = Dual Band WiFi		<b>X</b> = No WiFi
OS	<b>DOS</b> = DOS <b>11V</b> = Windows 11 IoT Value <b>Thinix</b> = Thinix™ Embedded Linux		<b>W_OS</b> = Without OS <b>11P</b> = Windows 11 Pro <b>U</b> = Ubuntu Linux
Accessories	<b>F</b> = Fixed Stand		<b>HA</b> = Height Adjustable Stand

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251

### R&D and Manufacturing

#11 Sports Complex  
Salvador Do Mundo  
North Goa - 403101, India

### Sales

UGF-10-A Omaxe Gurgaon Mall  
Sector 49, Sohna Road  
Gurgaon - 122018, India

