



Thinvent Uno 23.8" All in One PC

Intel Core Ultra 5 125U processor

12 core, up to 4.3 GHz, 12 MB cache

Dual LAN

16GB DDR5 RAM

512GB SSD

No WiFi

Thinix Embedded Linux

Fixed Stand

SKU: UNO24-CU5_14L-16_5-M512-12_7-X-THINUX-F



Unleash focused productivity in a sleek, all-in-one package.

Engineered for purpose, not distraction

Say goodbye to bloatware and unnecessary complexity. The Thinvent® Uno with Thinix™ delivers a streamlined, secure, and stable platform built for dedicated industrial and commercial tasks. Its robust, fanless aluminium alloy construction ensures silent, reliable operation in demanding environments.

Built for the jobs that matter

This isn't your average office PC. It's a resilient workhorse designed for seamless integration and control.

Ideal for

- Digital signage and information kiosks in retail or public spaces.
- Industrial control panels and HMI (Human-Machine Interface) stations.

- Dedicated point-of-sale or self-service terminals.
- Secure access control and monitoring systems.

Why choose the Uno?

It consolidates your entire system into a clean, space-saving unit with a vibrant 23.8-inch display. Dual Ethernet ports provide critical network redundancy or segmentation for advanced setups. With embedded Linux, you gain a stable, low-maintenance OS that resists viruses and is built for long-term deployment. The browser-based remote management allows for easy oversight and updates, keeping your operations running smoothly without constant physical intervention.

Simplify your infrastructure with a computer designed to just work, day in and day out.



Thinvent Uno 23.8" All in One PC



Specifications

PROCESSING

Generation	14th
Series	Ultra 5
Processor Brand	Intel
Processor Model	125U
Cores	12
Max Frequency	4.3 GHz
Cache	12 MB
Main Memory	16 GB
SSD Storage	512 GB

DISPLAY

Screen Size	23.8 inch
Resolution	1920 × 1080
Brightness	250 nits
Viewing Angle	Horizontal 178°, Vertical 178°
Camera	Pop up, 2 Megapixel
HDMI 2.0	1
VGA	1

AUDIO

Speakers	2 × 3 Watts
Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2	2
USB 2.0	2
Side USB 2.0	2
RS485 Option	1

NETWORKING

Ethernet	1000 Mbps
Ethernet Ports	2

POWER

DC Voltage	12 Volts
DC Current	7 Amps
Power Input	100~275 Volts AC, 50~60 Hz, 1.5

ENVIRONMENTAL

Operating Temperature	0°C ~ 35°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	All-in-One
Stand	Fixed
Dimensions	541mm × 400mm × 55mm
Housing Material	Aluminium alloy, steel and ABS Plastic
Housing Colour	Black
Kensington Lock	Yes
Net and Gross Weight	8.53kg, 8.53kg

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

Amps maximum

Cable Length

2 Metre

Ordering Information

PRODUCT CODE

Uno24-cu5_14l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]

RAM	8_5 = 8GB DDR5	16_5 = 16GB DDR5	32_5 = 32GB DDR5
SSD	m128 = 128GB	m256 = 256GB	m512 = 512GB
	m32 = 32GB		
	m1024 = 1TB		
Wireless	m = Dual Band WiFi	X = No WiFi	
OS	DOS = DOS	W_OS = Without OS	
	11V = Windows 11 IoT Value	11P = Windows 11 Pro	
	Thinix = Thinix™ Embedded Linux	U = Ubuntu Linux	
Accessories	F = Fixed Stand	HA = Height Adjustable Stand	

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing

#11 Sports Complex
Salvador Do Mundo
North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall
Sector 49, Sohna Road
Gurgaon - 122018, India

