



Thinvent Uno 23.8" All in One PC

Intel Core i3-1215U processor

6 core, up to 4.4 GHz, 10 MB cache

Dual LAN

32GB DDR4 RAM

128GB SSD

Dual Band WiFi

Thinix Embedded Linux

Fixed Stand

SKU: UNO24-I3_12L-32-M128-12_10-M-THINUX-F



Your complete, space-saving solution for digital signage and kiosk applications.

Streamlined for business, ready for action

This all-in-one PC is engineered for reliability in demanding commercial environments. Its robust aluminium alloy chassis and fixed stand ensure stability in high-traffic areas, while the integrated 23.8" display provides crisp, clear visuals for customer engagement and information display.

Key benefits


- Unmatched simplicity: With our Thinix™ Embedded Linux OS, enjoy a secure, stable platform that boots instantly and requires minimal IT overhead.
- Always connected: Dual Gigabit LAN ports provide network redundancy for mission-critical operations, keeping your digital signage or point-of-sale system online.

- Remote management made easy: Remotely configure, update, and troubleshoot from any web browser, dramatically reducing site visits and maintenance costs.
- Commercial-grade durability: Built from robust materials and designed for 24/7 operation in shops, restaurants, and industrial settings.

Ideal for

- Digital menu boards and retail signage
- Interactive kiosks and wayfinding systems
- Thin client and desktop virtualisation terminals
- Industrial control and monitoring stations

Experience the Thinvent difference: a purpose-built machine that just works, day in and day out.



Thinvent Uno 23.8" All in One PC



Specifications

PROCESSING

| | |
|-----------------|---------|
| Generation | 12th |
| Series | i3 |
| Processor Brand | Intel |
| Processor Model | 1215U |
| Cores | 6 |
| Max Frequency | 4.4 GHz |
| Cache | 10 MB |
| Main Memory | 32 GB |
| SSD Storage | 128 GB |

DISPLAY

| | |
|---------------|--------------------------------|
| Screen Size | 23.8 inch |
| Resolution | 1920 × 1080 |
| Brightness | 250 nits |
| Viewing Angle | Horizontal 178°, Vertical 178° |
| Camera | Pop up, 2 Megapixel |
| HDMI | 1 |
| VGA | 1 |

AUDIO

| | |
|-------------|-------------|
| Speakers | 2 × 3 Watts |
| Speaker Out | 1 |
| Mic In | 1 |

CONNECTIVITY

| | |
|--------------|---|
| USB 3.2 | 2 |
| Side USB 2.0 | 2 |
| RS485 Option | 1 |

NETWORKING

| | |
|---------------------|-------------------------------|
| Ethernet | 1000 Mbps |
| Ethernet Ports | 2 |
| Wireless Networking | Wi-Fi 5 (802.11ac), dual band |

POWER

| | |
|-------------|---------------------------------|
| DC Voltage | 12 Volts |
| DC Current | 10 Amps |
| Power Input | 100~275 Volts AC, 50~60 Hz, 1.5 |

ENVIRONMENTAL

| | |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 35°C |
| Operating Humidity | 20% ~ 80% RH, non condensing |
| Certifications | BIS, RoHS, ISO |

PHYSICAL

| | |
|----------------------|--|
| Form Factor | All-in-One |
| Stand | Fixed |
| Dimensions | 541mm × 400mm × 55mm |
| Housing Material | Aluminium alloy, steel and ABS Plastic |
| Housing Colour | Black |
| Kensington Lock | Yes |
| Net and Gross Weight | 8.49kg, 8.49kg |

OPERATING SYSTEM

| | |
|------------------|--|
| Operating System | Thinvent® Thinux™ Embedded Linux |
| OS Features | Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP. |

Amps maximum

Cable Length

2 Metre

Ordering Information

| PRODUCT CODE | |
|---|--|
| Uno24-i3_12l-[RAM]-[SSD]-12_10-[Wireless]-[OS]-[Accessories] | |
| RAM | 4 = 4GB DDR4 8 = 8GB DDR4 16 = 16GB DDR4 32 = 32GB DDR4 64 = 64GB DDR4 |
| SSD | m128 = 128GB m256 = 256GB m32 = 32GB m512 = 512GB m1024 = 1TB |
| Wireless | m = Dual Band WiFi X = No WiFi |
| OS | DOS = DOS W_OS = Without OS 11V = Windows 11 IoT Value 11P = Windows 11 Pro Thinux = Thinux™ Embedded Linux U = Ubuntu Linux |
| Accessories | F = Fixed Stand HA = Height Adjustable Stand |

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing
 #11 Sports Complex
 Salvador Do Mundo
 North Goa - 403101, India

Sales
 UGF-10-A Omaxe Gurgaon Mall
 Sector 49, Sohna Road
 Gurgaon - 122018, India

