



Thinvent Uno 23.8" All in One PC

Intel Core i5-1240P processor

12 core, up to 4.4 GHz, 12 MB cache

Dual LAN

64GB DDR4 RAM (2 x 32GB)

256GB SSD

Dual Band WiFi

Thinux Embedded Linux

Fixed Stand

SKU: UNO24-I5_12L-32_32-M256-12_10-M-THINUX-F



A sleek powerhouse for digital signage and public kiosks.

Ideal for a wide range of fixed applications

- Digital menu boards in restaurants and cafes
- Interactive information points in hotels and museums
- Secure point-of-sale terminals in retail
- Public access kiosks for councils and libraries

Why choose the Uno All-in-One?

Simplicity in a single unit

This all-in-one design eliminates bulky towers and messy cables. It's a clean, professional solution that saves space and reduces installation headaches. Just plug it in, and you're ready to go.


Built to perform, day after day

Reliable performance is essential for public-facing roles. Its robust construction and efficient design ensure smooth operation for your critical applications, from displaying dynamic content to running interactive software.

Engineered for secure, remote management

Control your entire network of devices from a single dashboard. Remotely update content, troubleshoot issues, and monitor performance without ever needing to be on-site. This saves you significant time and travel costs while keeping your operations running smoothly.

The Thinvent Uno delivers a professional, reliable, and easily managed computing solution for any environment where simplicity, durability, and control are paramount.



Thinvent Uno 23.8" All in One PC



Specifications

PROCESSING

Generation	12th
Series	i5
Processor Brand	Intel
Processor Model	1240P
Cores	12
Max Frequency	4.4 GHz
Cache	12 MB
Main Memory	64 GB
SSD Storage	256 GB

DISPLAY

Screen Size	23.8 inch
Resolution	1920 × 1080
Brightness	250 nits
Viewing Angle	Horizontal 178°, Vertical 178°
Camera	Pop up, 2 Megapixel
HDMI	1
VGA	1

AUDIO

Speakers	2 × 3 Watts
Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2	2
Side USB 2.0	2

NETWORKING

Ethernet	1000 Mbps
Ethernet Ports	2
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

POWER

DC Voltage	12 Volts
DC Current	10 Amps
Power Input	100~275 Volts AC, 50~60 Hz, 1.5

ENVIRONMENTAL

Operating Temperature	0°C ~ 35°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	All-in-One
Stand	Fixed
Dimensions	541mm × 400mm × 55mm
Housing Material	Aluminium alloy, steel and ABS Plastic
Housing Colour	Black
Kensington Lock	Yes
Net and Gross Weight	8.53kg, 8.53kg

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

Amps maximum

Cable Length

2 Metre

Ordering Information

PRODUCT CODE

Uno24-i5_12l-[RAM]-[SSD]-12_10-[Wireless]-[OS]-[Accessories]

RAM	4 = 4GB DDR4	8 = 8GB DDR4	16 = 16GB DDR4	32 = 32GB DDR4
	32_32 = 64GB DDR4 RAM (2 x 32GB)	16_16 = 32GB DDR4 RAM (2 x 16GB)	8_8 = 16GB DDR4 RAM (2 x 8GB)	
SSD	m128 = 128GB		m256 = 256GB	
	m512 = 512GB		m1024 = 1TB	
Wireless	m = Dual Band WiFi		X = No WiFi	
OS	DOS = DOS		W_OS = Without OS	
	11V = Windows 11 IoT Value		11P = Windows 11 Pro	
	Thinix = Thinix™ Embedded Linux		U = Ubuntu Linux	
Accessories	F = Fixed Stand		HA = Height Adjustable Stand	

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

