



Thinvent Uno 23.8" All in One PC

Intel Core i7-1255U processor

10 core, up to 4.7 GHz, 12 MB cache

Dual LAN

4GB DDR4 RAM

1TB SSD

No WiFi

Thinix Embedded Linux

Height Adjustable Stand

SKU: UNO24-I7_12L-4-M1024-12_7-X-THINUX-HA



Engineered for Endurance: The Uno 23.8" All-in-One.

Built for the relentless demands of industrial and commercial environments, the Uno delivers unwavering performance where others falter. Its sleek, all-in-one design consolidates your workspace, eliminating clutter and simplifying deployment in control rooms, kiosks, or on the factory floor.

Why Choose the Uno

- Experience smooth, responsive operation for complex monitoring and control tasks, powered by efficient Intel processing.
- Maximise uptime with a robust, fanless aluminium alloy construction designed for 24/7 reliability in challenging conditions.

- Simplify your network architecture with dual Gigabit Ethernet ports for versatile and secure wired connections.
- Adapt effortlessly to any user or mounting scenario with the flexible height-adjustable stand.
- Operate with supreme confidence using the dedicated, lightweight Thinix™ OS, optimised for security, remote management, and key industrial applications.

Your Command Centre, Simplified

From visualising SCADA systems and managing digital signage to serving as a ruggedised workstation, the Uno is the clear, reliable window to your critical operations. Its integrated design and professional-grade features ensure it works as hard as your business does.



Thinvent Uno 23.8" All in One PC



Specifications

PROCESSING

Generation	12th
Series	i7
Processor Brand	Intel
Processor Model	1255U
Cores	10
Max Frequency	4.7 GHz
Cache	12 MB
Main Memory	4 GB
SSD Storage	1024 GB

DISPLAY

Screen Size	23.8 inch
Resolution	1920 × 1080
Brightness	250 nits
Viewing Angle	Horizontal 178°, Vertical 178°
Camera	Pop up, 2 Megapixel
HDMI	1
VGA	1

AUDIO

Speakers	2 × 3 Watts
Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2	2
Side USB 2.0	2
RS485 Option	1

NETWORKING

Ethernet	1000 Mbps
Ethernet Ports	2

POWER

DC Voltage	12 Volts
DC Current	7 Amps
Power Input	100~275 Volts AC, 50~60 Hz, 1.5

ENVIRONMENTAL

Operating Temperature	0°C ~ 35°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	All-in-One
Stand	Height Adjustable
Dimensions	541mm × 400mm × 55mm
Housing Material	Aluminium alloy, steel and ABS Plastic
Housing Colour	Black
Kensington Lock	Yes
Net and Gross Weight	8.53kg, 8.53kg

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

Amps maximum

Cable Length

2 Metre

Ordering Information

PRODUCT CODE	
Uno24-i7_12l-[RAM]-[SSD]-12_10-[Wireless]-[OS]-[Accessories]	
RAM	4 = 4GB DDR4 8 = 8GB DDR4 16 = 16GB DDR4 32 = 32GB DDR4 64 = 64GB DDR4
SSD	m128 = 128GB m256 = 256GB m32 = 32GB m512 = 512GB m1024 = 1TB
Wireless	m = Dual Band WiFi X = No WiFi
OS	DOS = DOS W_OS = Without OS 11V = Windows 11 IoT Value 11P = Windows 11 Pro Thinix = Thinix™ Embedded Linux U = Ubuntu Linux
Accessories	F = Fixed Stand HA = Height Adjustable Stand

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing
 #11 Sports Complex
 Salvador Do Mundo
 North Goa - 403101, India

Sales
 UGF-10-A Omaxe Gurgaon Mall
 Sector 49, Sohna Road
 Gurgaon - 122018, India

