Thinvent Technologies Pvt. Ltd.

B3-1142 Spaze i-Tech Park, Sohna Road, Gurgaon - 122 018 • +91 124 423 4867

Oxygen Concentrator 1

Product Overview

5L/min medical oxygen concentrators for use in the convalescent care of Covid-19 patients.



Features

PSA technology

Adjustable flow rate

Display: LCD shows the accumulated working time of the machine and the running time set.

Technical Information

• Flow rate: Up to 5 litres per minute, adjustable

- Oxygen Purity: 93% ± 3%
- Outlet pressure(Mpa): 0.04-0.07
- Sound level: ≤ 50 dB
- Power consumption: ≤ 480W
- Gross weight: 18.8kg

Commercial Information

Imported, sold and serviced in India by Thinvent Technologies Pvt. Ltd., Gurgaon. One year support from date of invoicing, with part replacement on chargeable basis.



Thinvent Technologies Pvt. Ltd.

B3-1142 Spaze i-Tech Park, Sohna Road, Gurgaon - 122 018 • +91 124 423 4867

Oxygen Concentrator 2

Product Overview

2

5L/min medical oxygen concentrators for use in the convalescent care of Covid-19 patients.



Features

PSA technology. Adjustable flow rate. LCD shows the accumulated working time of the machine and the running time set.

Technical Information

- Flow rate: Up to 5 litres per minute, adjustable
- Oxygen Purity: 93% ± 3%
- Outlet pressure : 58.6 ± 6kPa
- Sound level: ≤ 45 dB
- Power consumption: $\leq 280W$
- Electrical Input: 220V/50Hz
- Gross weight: 15.6 kg
- Dimensions: 373 × 322 × 570 mm
- Package: 410 × 360 × 606 mm

Commercial Information

Imported, sold and serviced in India by Thinvent Technologies Pvt. Ltd., Gurgaon. One year support from date of invoicing, with part replacement on chargeable basis.



Thinvent Technologies Pvt. Ltd.

B3-1142 Spaze i-Tech Park, Sohna Road, Gurgaon - 122 018 • +91 124 423 4867

Oxygen Concentrator 3

Product Overview

3

10L/min medical oxygen concentrators for use in the treatment of Covid-19 patients.



Features

PSA technology. Adjustable flow rate.

Technical Information

- Flow rate: 1-10 litres per minute, adjustable
- Oxygen Purity: 93% ± 3%
- Outlet pressure : 60-85 kPa
- Sound level: ≤ 60 dB
- Power consumption: ≤ 770 W
- Gross weight: 20.5kg
- Electrical Input: 220V-240V/50Hz
- Product Dimensions : $400 \times 300 \times 540$ mm
- Package Dimension: 410 × 360 × 606 mm

Commercial Information

Imported, sold and serviced in India by Thinvent Technologies Pvt. Ltd., Gurgaon. One year support from date of invoicing, with part replacement on chargeable basis.