



PRINT CATALOGUE

Mini PCs, All in One Computers, Industrial PCs, Panel PCs and Thin Clients

October 2026



IPC5 · IPC3 · IPC1 · 15" Panel PC · Treo · Aero · Uno 22 · Uno 24 · Micro 6 Pro · Micro 5R

www.thinvent.in

Contents

INDUSTRIAL PCS	3
IPC5 Range of Industrial PCs	4
The Unyielding Industrial PC for Critical Environments	
IPC3 Range of Industrial PCs	7
Rugged, Reliable, and Fanless Industrial Computing Power	
IPC1	10
Rugged Reliability, Silent Performance, Engineered for Industry.	
PANEL PCS	12
15 inch Industrial Panel PC	13
MINI PCS	15
Treo Range of Mini PCs	16
Versatile and Powerful Mini PCs, Tailored to Your Needs	
Aero Range of Mini PCs	19
Customizable Power and Versatility in a Compact Mini PC	
ALL IN ONE COMPUTERS	22
Uno 22 and Uno 24 All-in-One PCs	23
Streamlined Productivity in a Sleek All-in-One Design	
THIN CLIENTS	26
Micro 6 Pro Mini PC	27
Power, Performance, and Sustainability in the Palm of Your Hand	
Micro 5R Thin Client	30

Rugged Industrial PCs for Demanding Environments



ENTRY LEVEL

IPC1

Data Acquisition

2.9 GHz Quad Core, Intel® processor N5095A

4 GB RAM


128 GB SSD

1 × HDMI, 1 × VGA

4 × USB 2.0, 3 × USB 3.0, 1 × USB C

1 Gbps Ethernet

Ubuntu Linux



WORKHORSE

IPC3

Edge Computing and Control

4.4 GHz Six Core, Intel® Core i3 processor

8 GB RAM

256 GB SSD

1 × HDMI, 1 × VGA


4 × USB 2.0, 4 × USB 3.0

Up to 6 × DB9 RS232C Serial

Optional 1 × DB9 RS485 Serial

1 Gbps Ethernet

Ubuntu Linux



PERFORMANCE FOR AI Popular

IPC5

Image Processing and Inference

4.4 GHz Twelve Core, Intel® Core™ i5-1250P processor

16 GB RAM

512 GB SSD

2 × HDMI, 1 × VGA

6 × USB 2.0, 2 × USB 3.0

Up to 6 × DB9 RS232C Serial

Optional 1 × DB9 RS485 Serial

1 Gbps Ethernet

Windows 11 IoT Value

RANGES IN THIS CATALOGUE



IPC1

[page 10](#)



IPC3 Range of Industrial PCs

[page 7](#)



IPC5 Range of Industrial PCs

[page 4](#)



IPC5 Range of Industrial PCs

The Unyielding Industrial PC for Critical Environments

Introducing the Thinvent IPC5 range of industrial PCs, engineered for mission-critical applications in the harshest environments. Crafted from solid extruded aluminum, precision-milled and featuring serrated fins for enhanced heat dissipation, the IPC5 is a testament to rugged reliability. This fanless, ventless design, weighing over 2kg, ensures exceptional durability against heat, dust, vibration, and polluted air, guaranteeing 24/7/365 operation.

- Image Processing and Inference
- Performance for AI

CONFIGURATION SHOWN ON THE COMPARISON PAGE: IPC5

● 4.4 GHz Twelve Core, Intel® Core™ i5-1250P processor	● 16 GB RAM	● 512 GB SSD
● 2 × HDMI, 1 × VGA	● 6 × USB 2.0, 2 × USB 3.0	● Up to 6 × DB9 RS232C Serial
● Optional 1 × DB9 RS485 Serial	● 1 Gbps Ethernet	● Windows 11 IoT Value



www.thinvent.in/f/IPC5

Advanced Thermal Management for Uninterrupted Performance

The IPC5 utilizes advanced thermal management with composite materials to maintain optimal performance even under extreme conditions. This innovative design eliminates the need for fans or vents, significantly reducing maintenance and ensuring consistent operation.

Robust and Reliable Construction

- **Solid Extruded Aluminum Housing:** Precision-milled for maximum strength and heat dissipation.
- **Fanless and Ventless Design:** Eliminates dust and particle ingress, enhancing reliability.
- **Serrated Fins:** Further enhance heat dissipation, ensuring stable operation.
- **Heavy-Duty Build:** With a housing weight exceeding 2kg, the IPC5 is built to withstand demanding industrial environments.

Powerful Performance and Versatile Capabilities

The IPC5 is designed to handle demanding tasks with ease

- **High-Performance Processing:** Powered by Intel Core processors, supporting AI inference, image processing, and video processing with integrated GPU and NPU capabilities.
- **Scalable Memory and Storage:** Supports 4 GB to 64 GB of main memory and 128 GB to 1 TB of SSD storage, allowing for customization to meet specific application needs.
- **Comprehensive Connectivity:** Features 1 x HDMI, VGA, Speaker Out, Mic In, 2 x USB 3.0, 2 x USB 2.0, 4 x Front USB 2.0, and 1 Gbps Ethernet.

Designed for Industrial Deployment

- **Wide Operating Temperature Range:** Operates reliably from 0°C to 50°C.
- **Humidity Resistance:** Functions in 20% to 80% RH (non-condensing) environments.

- **Flexible Mounting Options:** Supports wall and DIN rail mounting for easy integration into industrial setups.
- **Industrial-Grade Certifications:** BIS, RoHS, and ISO certified, ensuring compliance with stringent quality and safety standards.

Specifications

- **Main Memory:** 4 GB ~ 64 GB
- **SSD Storage:** 128 GB ~ 1 TB
- **Video Outputs:** 1 x HDMI, VGA
- **Audio:** Speaker Out, Mic In
- **USB:** 2 x USB 3.0, 2 x USB 2.0, 4 x Front USB 2.0
- **Ethernet:** 1 Gbps
- **Power:** 12V DC, 5A (100~240V AC, 50~60Hz, 1.5A max input)
- **Cable Length:** 2 Meters
- **Operating Temperature:** 0°C ~ 50°C
- **Operating Humidity:** 20% ~ 80% RH (non-condensing)
- **Certifications:** BIS, RoHS, ISO
- **Dimensions:** 197mm × 210mm × 65mm
- **Housing Material:** Extruded Aluminum
- **Finish:** Anodized Grey
- **Mounting:** Wall Mount, DIN Mount


Ideal For

- Industrial Automation
- Machine Vision
- Process Control
- Digital Signage in Harsh Environments
- Edge Computing
- AI Inference Applications
- 24/7/365 Operation

The Thinvent IPC5 range of industrial PCs delivers unmatched durability and performance, making it the perfect solution for demanding industrial applications where reliability is paramount.



The fins on the IPC5 have serrations that allow more efficient heat rejection.



Specifications

PROCESSING

Main Memory	4 GB ~ 64 GB
SSD Storage	128 GB ~ 1 TB

DISPLAY

HDMI	1~2
VGA	Yes

AUDIO

Speaker Out	Yes
Mic In	Yes

CONNECTIVITY

USB 3.0	2
USB 2.0	2
Front USB 2.0	4
Serial Port	Up to 5

NETWORKING

Ethernet	1 Gbps
----------	--------

OTHER

RS485 Port	Optional
Wall Mount	Yes

POWER

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 50°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Dimensions	197mm × 210mm × 65mm
Housing Material	Aluminium
Housing Finish	Anodised
Housing Colour	Grey

Options

Processor	Intel® Core™ i7-1255U processor (10 core, up to 4.7 GHz, 12 MB cache) Dual LAN Intel® Core™ i5-1335U processor (10 core, up to 4.6 GHz, 12 MB cache) Intel® Core™ 5 120U processor (10 core, up to 5.0 GHz, 12 MB cache) Intel® Core™ Ultra 5 125U processor (12 core, up to 4.3 GHz, 12 MB cache) Dual LAN Intel® Core™ i5-1240P processor (12 core, up to 4.4 GHz, 12 MB cache)
Memory	4GB · 8GB · 16GB · 16GB (2 x 8GB) · 32GB · 32GB (2 x 16GB) · 64GB (2 x 32GB) · 8GB DDR5 RAM · 16GB DDR5 RAM · 32GB DDR5 RAM · 32GB DDR5 RAM (2 x 16GB) · 64GB DDR5 RAM (2 x 32GB)
Storage	128GB · 256GB · 512GB · 1TB · 2TB
Wireless	Dual Band WiFi · No WiFi
Ethernet	Single · Dual
Operating system	Without OS · Windows 11 Pro · Windows 11 Professional · Ubuntu Linux · Windows 11 IoT Value
Accessories	None · Quad DB9 Serial



IPC3 Range of Industrial PCs


Rugged, Reliable, and Fanless Industrial Computing Power

The Thinvent IPC3 series redefines industrial computing with its robust, fanless design and unwavering reliability. Crafted from solid, precision-milled extruded aluminum, the IPC3 is engineered to withstand the harshest environments, ensuring continuous operation in demanding industrial settings.

- Edge Computing and Control
- Workhorse

CONFIGURATION SHOWN ON THE COMPARISON PAGE: IPC3

● 4.4 GHz Six Core, Intel® Core i3 processor	● 8 GB RAM	● 256 GB SSD
● 1 × HDMI, 1 × VGA	● 4 × USB 2.0, 4 × USB 3.0	● Up to 6 × DB9 RS232C Serial
● Optional 1 × DB9 RS485 Serial	● 1 Gbps Ethernet	● Ubuntu Linux



www.thinvent.in/f/IPC3

Built for Extreme Conditions

Designed for 24/7/365 operation, the IPC3 thrives in environments where traditional PCs would fail. Its fanless and ventless design eliminates the risk of dust and particle ingress, while its solid aluminum construction provides exceptional resistance to heat, vibration, and polluted air. Advanced thermal management, utilizing composite materials, ensures optimal performance even under extreme temperatures.

Uncompromising Reliability and Performance

The Thinvent IPC3 delivers consistent and dependable performance for critical industrial applications.

- **Robust Construction:** Solid extruded aluminum housing with an anodized silver finish.
- **Fanless and Ventless Design:** Eliminates dust and particle ingress, ensuring long-term reliability.
- **Advanced Thermal Management:** Composite materials for efficient heat dissipation.
- **Wide Operating Temperature:** 0°C to 50°C, suitable for diverse industrial environments.
- **High Humidity Tolerance:** 20% to 80% RH, non-condensing.
- **24/7/365 Operation:** Engineered for continuous, uninterrupted performance.

Flexible Configuration and Connectivity

The IPC3 offers a range of configuration options to meet your specific needs.

- **Memory:** 4 GB to 64 GB of main memory for seamless multitasking.
- **Storage:** 128 GB to 1 TB SSD storage for fast and reliable data access.
- **Video Outputs:** 1 x HDMI and VGA for flexible display options.

- **USB Ports:** 2 x USB 3.0, 2 x USB 2.0 (rear), and 4 x USB 2.0 (front) for peripheral connectivity.
- **Audio:** Speaker Out and Mic In for audio applications.
- **Networking:** Gigabit Ethernet (1 Gbps) for high-speed network connectivity.

Industrial-Grade Certifications and Design



The IPC3 is designed and certified to meet the highest industry standards.

- **Certifications:** BIS, RoHS, and ISO certified, ensuring quality and compliance.
- **Wall Mountable:** Designed for easy integration into industrial setups.
- **Compact Dimensions:** 200mm x 184mm x 52mm for space-saving installation.
- **Power Input:** 100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum.
- **DC Voltage:** 12 Volts, 5 Amps.
- **Power Cable:** 2 Meter.

Ideal Applications

- Industrial Automation
- Manufacturing Control
- Process Monitoring
- Digital Signage in Harsh Environments
- Transportation Systems
- Environmental Monitoring
- Any application requiring reliable, fanless, 24/7 operation.

The Thinvent IPC3 range of industrial PCs provides a robust, reliable, and fanless computing solution designed to thrive in the most demanding industrial environments.



Specifications

PROCESSING

Main Memory	4 GB ~ 64 GB
SSD Storage	128 GB ~ 1 TB

DISPLAY

HDMI	1
VGA	Yes

AUDIO

Speaker Out	Yes
Mic In	Yes

CONNECTIVITY

USB 3.0	2
USB 2.0	2
Front USB 2.0	4
Serial Port	Up to 5

NETWORKING

Ethernet	1 Gbps
----------	--------

OTHER

RS485 Port	Optional
Wall Mount	Yes

POWER

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 50°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Dimensions	200mm × 184mm × 52mm
Housing Material	Aluminium
Housing Finish	Anodised
Housing Colour	Silver

Options

Processor	Intel® Core™ i3-1215U processor (6 core, up to 4.4 GHz, 10 MB cache) Intel® Core™ i3-1315U processor (6 core, up to 4.5 GHz, 10 MB cache)
Memory	4GB · 8GB · 16GB · 16GB (2 x 8GB) · 32GB · 32GB (2 x 16GB) · 64GB (2 x 32GB)
Storage	128GB · 256GB · 512GB · 1TB · 2TB
Wireless	Dual Band WiFi · No WiFi
Ethernet	Single · Dual
Operating system	Without OS · Windows 11 Pro · Windows 11 Professional · Ubuntu Linux · Windows 11 IoT Value
Accessories	None · Quad DB9 Serial



IPC1

Rugged Reliability, Silent Performance, Engineered for Industry.

- Data Acquisition
- Entry Level

CONFIGURATION SHOWN ON THE COMPARISON PAGE: IPC1

- 2.9 GHz Quad Core, Intel® processor N5095A
- 4 GB RAM
- 128 GB SSD
- 1 × HDMI, 1 × VGA
- 4 × USB 2.0, 3 × USB 3.0, 1 × USB C
- 1 Gbps Ethernet
- Ubuntu Linux



www.thinvent.in/p/IPC1-100-4-m128-12_5-X-U-0

Description of the IPC1 with Intel® processor N100, from its product page.

Experience uncompromising performance and durability with the Thinvent® Industrial PC IPC1. This robust, fanless system, powered by an Intel® N100 processor (4 cores, up to 3.4 GHz, 6 MB cache), is designed for demanding environments, ensuring silent operation and zero dust ingress thanks to its innovative finned, solid aluminium housing with an anodised cover. Efficient heat dissipation is guaranteed, making it ideal for both bustling industrial settings and quiet office spaces.

Its compact form factor (199.5mm × 181.5mm × 34.5mm) and VESA mount capability offer versatile deployment. Running on Ubuntu Linux 24.04 LTS with 4GB DDR4 RAM and a rapid 128GB SSD, the IPC1

delivers secure, responsive computing for critical applications.

Connectivity Options

- Video Output: 1 HDMI, 1 VGA
- USB Ports: 2x USB 3.2 Gen 2, 1x USB 3.2 Gen 1, 1x USB C, 4x Front USB 2.0
- Audio: Speaker Out (front & rear), Mic In (front & rear)
- Networking: Reliable Gigabit Ethernet (1000 Mbps)

The IPC1 operates flawlessly across 0°C to 40°C and meets stringent RoHS, ISO, and BIS certifications, underscoring its quality and reliability. Proudly 100% designed in India, the Thinvent® IPC1 is your dependable partner for industrial-grade computing.

Specifications

PROCESSING

Main Memory	4 GB ~ 32 GB
SSD Storage	128 GB ~ 1 TB

DISPLAY

HDMI	1
VGA	Yes

AUDIO

Speaker Out	Yes
Mic In	Yes

CONNECTIVITY

USB 3.0	3
Front USB 2.0	4

NETWORKING

Ethernet	1 Gbps
----------	--------

POWER

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metres

ENVIRONMENTAL

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non-condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

USB C	1
Dimensions	199.5mm × 181.5mm × 34.5mm
Housing Material	Aluminium
Housing Finish	Anodised and Powder Coated
Housing Colour	Black

Options

Processor	Intel® processor N95 (4 core, up to 3.4 GHz, 6 MB cache) Intel® processor N97 (4 core, up to 3.6 GHz, 6 MB cache) Intel® processor N100 (4 core, up to 3.4 GHz, 6 MB cache) Intel® processor N5095A (4 core, up to 2.9 GHz, 4 MB cache) AMD Ryzen™ 5 7430U processor (6 core, up to 4.3 GHz, 16 MB cache) AMD Ryzen™ 5 7530U processor (6 core, up to 4.5 GHz, 16 MB cache)
-----------	--

Fanless IP65 15 inch Panel PCs for machines and kiosks



ENTRY LEVEL

Panel PC N5095A

Operator terminals

2.9 GHz Quad Core, Intel® processor
N5095A

4 GB RAM

128 GB SSD

15 inch 1024 × 768 screen, 350 nits

IP65 rated

1 × HDMI, 1 × VGA

4 × USB 3.0

1 Gbps Ethernet

Ubuntu Linux



MID RANGE Popular

Panel PC i3

Machine control screens

4.4 GHz Six Core, Intel® Core™ i3-1215U
processor

8 GB RAM

256 GB SSD

15 inch 1024 × 768 screen, 350 nits

IP65 rated

1 × HDMI, 1 × VGA

2 × USB 2.0, 2 × USB 3.2

1 Gbps Ethernet

Windows 11 Pro



PERFORMANCE

Panel PC i5

Multiple applications

4.6 GHz Ten Core, Intel® Core™ i5-1335U
processor

16 GB RAM

512 GB SSD

15 inch 1024 × 768 screen, 350 nits

IP65 rated

1 × HDMI, 1 × VGA

2 × USB 2.0, 2 × USB 3.2

Dual band WiFi

1 Gbps Ethernet

Windows 11 Pro

RANGES IN THIS CATALOGUE



15 inch Industrial Panel PC

[page 13](#)



15 inch Industrial Panel PC

A clear view of your operation, right where the work happens.

- Operator terminals
- Entry Level

CONFIGURATION SHOWN ON THE COMPARISON PAGE: PANEL PC N5095A

• 2.9 GHz Quad Core, Intel® processor N5095A	• 4 GB RAM	• 128 GB SSD
• 15 inch 1024 × 768 screen, 350 nits	• IP65 rated	• 1 × HDMI, 1 × VGA
• 4 × USB 3.0	• 1 Gbps Ethernet	• Ubuntu Linux



www.thinvent.in/f/PPC15

The Thinvent 15" Industrial Panel PC puts your processes on a bright, readable screen at the point of use, so your team spends less time walking to a back-office terminal and more time getting the job done.

Where it earns its place

- Production floors and machine stations, where operators need live status and controls within arm's reach
- Control rooms and monitoring desks, displaying dashboards and process data all shift long
- Warehousing and logistics points, keeping picking, dispatch and tracking information visible
- Kiosk and self-service positions in busy environments
- Anywhere a standard desktop simply would not survive the surroundings

Why teams choose it

- The wide viewing angle keeps the screen readable from the side, so several people can check it at once without crowding
- Aluminium housing stands up to demanding industrial surroundings far better than ordinary office hardware
- Fanless passive cooling means fewer moving parts to wear out or service, and no vents pulling dust into the electronics
- The panel form factor mounts into your existing setup, keeping the workspace tidy and the screen protected
- A single, self-contained unit means less cabling, fewer failure points and a simpler install

If you need a display that works as hard as the people around it, this is the one to specify.

Specifications

PROCESSING

Main Memory	4 GB ~ 64 GB
SSD Storage	128 GB ~ 1 TB

DISPLAY

Screen Size	15 inch
Resolution	1024 × 768
Brightness	350 nits
Viewing Angle	Horizontal 178°, Vertical 178°

NETWORKING

Ethernet	1000 Mbps
----------	-----------

POWER

DC Voltage	12 ~ 19 Volts
------------	---------------

PHYSICAL

Housing Material	Aluminium
Thermal Design	Fanless Passive Cooling
Form Factor	Panel PC

Options

Processor	Intel® processor N5095A (4 core, up to 2.9 GHz, 4 MB cache) Intel® Core™ i3-1215U processor (6 core, up to 4.4 GHz, 10 MB cache) Intel® Core™ i3-1315U processor (6 core, up to 4.5 GHz, 10 MB cache) Intel® Core™ i7-1255U processor (10 core, up to 4.7 GHz, 12 MB cache) Dual LAN Intel® Core™ i5-1335U processor (10 core, up to 4.6 GHz, 12 MB cache) AMD Ryzen™ 5 7530U processor (6 core, up to 4.5 GHz, 16 MB cache) AMD Ryzen™ 5 7430U processor (6 core, up to 4.3 GHz, 16 MB cache) Intel® Core™ 5 120U processor (10 core, up to 5.0 GHz, 12 MB cache) Intel® Core™ Ultra 5 125U processor (12 core, up to 4.3 GHz, 12 MB cache) Dual LAN
Memory	4GB · 8GB · 16GB · 16GB (2 x 8GB) · 32GB · 32GB (2 x 16GB) · 64GB (2 x 32GB) · 8GB DDR5 RAM · 16GB DDR5 RAM · 32GB DDR5 RAM · 32GB DDR5 RAM (2 x 16GB) · 64GB DDR5 RAM (2 x 32GB)
Storage	128GB · 256GB · 512GB · 1TB · 2TB
Wireless	Dual Band WiFi · No WiFi
Ethernet	Single · Dual
Operating system	Without OS · Windows 11 Pro · Windows 11 Professional · Ubuntu Linux · Windows 11 IoT Value · Windows 11 IoT
Accessories	None · Thinvent® Keyboard and Mouse set

Choose the Right Mini PC



ENTRY LEVEL

Treo i3

For SMEs

4.4 GHz Six Core, Intel® Core™ i3-1215U processor

8 GB RAM

128 GB SSD

1 × HDMI, 1 × VGA

4 × USB 2.0, 4 × USB 3.0, 1 × USB C

Speaker & Mic Jacks

1 Gbps Ethernet

1 litre, 1 kg

Windows 11 Pro

PREMIUM **Popular**

Aero i3

For small businesses

4.4 GHz Six Core, Intel® Core™ i3-1215U processor

8 GB RAM

256 GB SSD

1 × HDMI, 1 × VGA

6 × USB 2.0, 2 × USB 3.0, 1 × USB C

Speaker & Mic Jacks

1 Gbps Ethernet

1 litre, 1 kg

Windows 11 Pro



ENTERPRISE

Aero Core5

For large organisations

5 GHz Ten Core, Intel® Core™ 5 120U processor

16 GB RAM

512 GB SSD

2 × HDMI, 1 × VGA

6 × USB 2.0, 2 × USB 3.0, 1 × USB C

Speaker & Mic Jacks

1 Gbps Ethernet

1 litre, 1 kg

Windows 11 Pro

RANGES IN THIS CATALOGUE



Treo Range of Mini PCs

[page 16](#)


Aero Range of Mini PCs

[page 19](#)



Treo Range of Mini PCs


Versatile and Powerful Mini PCs, Tailored to Your Needs

The Thinvent Treo range of mini PCs offers exceptional performance and flexibility in a sleek, compact design. Built with a durable aluminum housing and designed for a wide range of applications, the Treo series provides a customizable computing experience to meet your specific requirements.

- For SMEs
- Entry Level

CONFIGURATION SHOWN ON THE COMPARISON PAGE: TREO I3

● 4.4 GHz Six Core, Intel® Core™ i3-1215U processor	● 8 GB RAM	● 128 GB SSD
● 1 × HDMI, 1 × VGA	● 4 × USB 2.0, 4 × USB 3.0, 1 × USB C	● Speaker & Mic Jacks
● 1 Gbps Ethernet	● 1 litre, 1 kg	● Windows 11 Pro



www.thinvent.in/f/Treo

Performance That Scales With Your Demands

The Thinvent Treo is available with a choice of powerful Intel processors, ensuring you get the perfect balance of performance and efficiency

- Entry-Level Power: Intel® processor N5095A (4 core, up to 2.9 GHz, 4 MB cache) or Intel® processor N97 (4 core, up to 3.6 GHz, 6 MB cache) for everyday tasks.
- Balanced Performance: Intel® Core™ i3-1215U, i3-1315U (6 core, up to 4.4/4.5 GHz, 10 MB cache) or Intel® Core™ 5 120U (10 core, up to 5.0 GHz, 12 MB cache) for enhanced productivity.
- High-Performance Computing: Intel® Core™ i5-1250P or i5-1335U (10/12 core, up to 4.4/4.6 GHz, 12 MB cache) for demanding applications.

Comprehensive Connectivity for Seamless Integration

The Thinvent Treo boasts a wide array of ports for connecting all your peripherals

- Video Outputs: 1 x HDMI, 1 x VGA for dual display support.
- Audio: Speaker Out (front), Mic In (front).
- USB: 2 x USB 3.0 (rear), 2 x USB 2.0 (rear), 4 x USB 2.0 (front).
- Networking: 1 x Gigabit Ethernet (1000 Mbps).

Customizable Operating Systems and Wireless Connectivity

Tailor your Treo mini PC to your specific needs with a choice of operating systems

- Windows 11 IoT
- Windows 11 Pro
- Ubuntu Linux

Choose your preferred wireless connectivity option

- No WiFi
- Dual Band WiFi

Durable and Versatile Design

The Thinvent Treo features a robust aluminum housing with a sleek, powder-coated black finish. Its compact dimensions (199.5mm x 181.5mm x 29.5mm) and VESA mount compatibility allow for flexible

placement in any environment.

Reliable and Certified

Designed for reliability, the Treo operates on a 12V DC, 2A power supply with a wide-range AC input (100~240V, 50~60Hz). It is built to operate in environments with temperatures ranging from 0°C to 40°C and humidity levels of 20% to 80% RH (non-condensing). The Thinvent Treo is RoHS and ISO certified, ensuring compliance with stringent quality and safety standards.


Key Features

- Choice of Intel Processors: N5095A, N97, i3-1215U, i3-1315U, i5-1250P, i5-1335U, Core 5 120U.
- Choice of Operating Systems: Windows 11 IoT, Windows 11 Pro, Ubuntu Linux.
- Choice of WiFi: No WiFi, Dual Band WiFi.
- HDMI and VGA for Dual Display
- Extensive USB Connectivity (USB 3.0, USB 2.0)
- Gigabit Ethernet
- Front and Rear Audio Ports
- Durable Aluminum Housing
- VESA Mount Compatible
- RoHS and ISO Certified
- 1 Metre Power Cable
- Power input 100~240 Volts AC, 50~60 Hz, 0.9 Amps maximum
- DC Voltage 12 Volts, DC Current 2 Amps.

Ideal For

- Business Professionals
- Home Offices
- Small Businesses
- Industrial Control
- Digital Signage
- Thin Client Applications
- Education

The Thinvent Treo range of mini PCs offers a powerful, customizable, and reliable computing solution for a wide range of needs.



Specifications

PROCESSING

Main Memory	4 GB ~ 64 GB
SSD Storage	128 GB ~ 1 TB

DISPLAY

HDMI	1 ~ 2
VGA	Yes

AUDIO

Speaker Out	Yes
Mic In	Yes
Front Speaker Out	Yes
Front Mic In	Yes

CONNECTIVITY

USB 3.0	2 ~ 4
USB 2.0	0 ~ 2
Front USB 2.0	4

NETWORKING

Ethernet	1000 Mbps
----------	-----------

POWER

DC Voltage	12 Volts
DC Current	2 ~ 7 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 0.9 Amps maximum
Cable Length	1 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Dimensions	199.5mm × 181.5mm × 29.5mm
Housing Material	Aluminium
Housing Finish	Powder Coated
Housing Colour	Black

ACCESSORIES

VESA Mount	Yes
------------	-----

Options

Processor	Intel® processor N5095A (4 core, up to 2.9 GHz, 4 MB cache) Intel® Core™ i3-1215U processor (6 core, up to 4.4 GHz, 10 MB cache) Intel® Core™ i3-1315U processor (6 core, up to 4.5 GHz, 10 MB cache) Intel® Core™ i7-1255U processor (10 core, up to 4.7 GHz, 12 MB cache) Dual LAN Intel® Core™ i5-1335U processor (10 core, up to 4.6 GHz, 12 MB cache) AMD Ryzen™ 5 7430U processor (6 core, up to 4.3 GHz, 16 MB cache) Intel® Core™ 5 120U processor (10 core, up to 5.0 GHz, 12 MB cache) Intel® Core™ Ultra 5 125U processor (12 core, up to 4.3 GHz, 12 MB cache) Dual LAN Intel® Core™ i5-1240P processor (12 core, up to 4.4 GHz, 12 MB cache)
Memory	4GB · 8GB · 16GB · 16GB (2 x 8GB) · 32GB · 32GB (2 x 16GB) · 64GB (2 x 32GB) · 8GB DDR5 RAM · 16GB DDR5 RAM · 32GB DDR5 RAM · 32GB DDR5 RAM (2 x 16GB) · 64GB DDR5 RAM (2 x 32GB)
Storage	128GB · 256GB · 512GB · 1TB · 2TB
Wireless	Dual Band WiFi · No WiFi
Ethernet	Single · Dual
Operating system	Without OS · Windows 11 Pro · Windows 11 Professional · Ubuntu Linux · Windows 11 IoT Value · Windows 11 IoT
Accessories	None · Thinvent® Keyboard and Mouse set



Aero Range of Mini PCs

Customizable Power and Versatility in a Compact Mini PC

The Thinvent Aero range of mini PCs is designed to offer unparalleled customization and performance, catering to a wide spectrum of computing needs. From everyday tasks to demanding professional applications, the Aero series delivers a tailored experience in a compact and robust form factor.

- For small businesses
- Premium

CONFIGURATION SHOWN ON THE COMPARISON PAGE: AERO I3

● 4.4 GHz Six Core, Intel® Core™ i3-1215U processor	● 8 GB RAM	● 256 GB SSD
● 1 × HDMI, 1 × VGA	● 6 × USB 2.0, 2 × USB 3.0, 1 × USB C	● Speaker & Mic Jacks
● 1 Gbps Ethernet	● 1 litre, 1 kg	● Windows 11 Pro



www.thinvent.in/f/Aero

Performance That Adapts to Your Requirements

The Thinvent Aero is built for flexibility, offering a choice of powerful Intel processors

- **Essential Computing:** Intel® processor N5095A (4 core, up to 2.9 GHz, 4 MB cache) or Intel® processor N97 (4 core, up to 3.6 GHz, 6 MB cache) for basic tasks.
- **Balanced Performance:** Intel® Core™ i3-1215U, i3-1315U (6 core, up to 4.4/4.5 GHz, 10 MB cache) or Intel® Core™ 5 120U (10 core, up to 5.0 GHz, 12 MB cache) for enhanced productivity.
- **High-Performance Workloads:** Intel® Core™ i5-1250P or i5-1335U (10/12 core, up to 4.4/4.6 GHz, 12 MB cache) for demanding applications.

Unmatched Customization

The Aero series provides extensive customization options

- **Memory:** 4 GB to 64 GB of main memory for optimal performance.
- **Storage:** 128 GB to 1 TB SSD storage for ample space and speed.
- **Video Outputs:** 1 or 2 HDMI ports, plus VGA for versatile display configurations.
- **USB Ports:** 2 to 4 USB 3.0 ports and 0 to 2 USB 2.0 ports for flexible connectivity.
- **Front Panel:** 4 x USB 2.0, Speaker Out, Mic In, and USB Type-C for convenient access.
- **Wireless Connectivity:** Choose from No WiFi, Dual Band WiFi, or Dual Band, Dual Antenna WiFi.
- **Operating System:** Select Windows 11 IoT, Windows 11 Pro, or Ubuntu Linux to suit your needs.

Comprehensive Connectivity and Robust Design

The Thinvent Aero offers a full range of connectivity options

- **Audio:** Speaker Out (front and rear), Mic In (front and rear).
- **Networking:** Gigabit Ethernet (1000 Mbps).

Designed for durability, the Aero features a steel and ABS plastic housing with a powder-coated black finish. Its compact dimensions (198mm × 187mm × 40mm) and VESA mount compatibility allow for flexible placement in any environment.

Reliable Power and Certifications

The Aero operates on a 12V DC power supply (2 to 7 Amps, depending on configuration) with a wide-range AC input (100~240V, 50~60Hz). It is designed to operate in environments with temperatures ranging from 0°C to 35°C and humidity levels of 20% to 80% RH (non-condensing). The Thinvent Aero is BIS, RoHS, and ISO certified, ensuring compliance with stringent quality and safety standards.

Key Features

- **Choice of Intel Processors:** N5095A, N97, i3-1215U, i3-1315U, i5-1250P, i5-1335U, Core 5 120U.
- **Customizable Memory:** 4 GB to 64 GB.
- **Customizable Storage:** 128 GB to 1 TB SSD.
- **Multiple HDMI and VGA Outputs.**
- **Flexible USB Connectivity** (USB 3.0, USB 2.0, USB Type-C).
- **Front and Rear Audio Ports.**
- **Choice of Operating Systems:** Windows 11 IoT, Windows 11 Pro, Ubuntu Linux.
- **Choice of WiFi:** No WiFi, Dual Band WiFi.
- **Gigabit Ethernet.**
- **Durable Steel/ABS Housing.**
- **VESA Mount Compatible.**
- **BIS, RoHS, ISO Certified.**
- **1 Metre Power Cable.**
- **Power input** 100~240 Volts AC, 50~60 Hz, 0.9 Amps maximum.
- **DC Voltage** 12 Volts, DC Current 2 ~ 7 Amps.

Ideal For

- Business Professionals
- Home Offices
- Small Businesses
- Industrial Control
- Digital Signage
- Thin Client Applications
- Education
- Customized solutions.

The Thinvent Aero range of mini PCs provides a highly customizable and powerful computing solution, designed to meet the unique needs of diverse users.

Specifications

PROCESSING

Main Memory	4 GB ~ 64 GB
SSD Storage	128 GB ~ 1 TB

DISPLAY

HDMI	1 ~ 2
VGA	Yes

AUDIO

Speaker Out	Yes
Mic In	Yes
Front Speaker Out	Yes
Front Mic In	Yes

CONNECTIVITY

USB 3.0	2 ~ 4
USB 2.0	0 ~ 2
Front USB 2.0	4
Front USB C	Yes

NETWORKING

Ethernet	1000 Mbps
----------	-----------

POWER

DC Voltage	12 Volts
DC Current	2 ~ 7 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 0.9 Amps maximum
Cable Length	1 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 35°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Dimensions	198mm × 187mm × 40mm
Housing Material	Steel and ABS Plastic
Housing Finish	Powder Coated
Housing Colour	Black

ACCESSORIES

VESA Mount	Yes
------------	-----

Options

Processor	Intel® processor N5095A (4 core, up to 2.9 GHz, 4 MB cache) Intel® Core™ i3-1215U processor (6 core, up to 4.4 GHz, 10 MB cache) Intel® Core™ i3-1315U processor (6 core, up to 4.5 GHz, 10 MB cache) Intel® Core™ i7-1255U processor (10 core, up to 4.7 GHz, 12 MB cache) Dual LAN Intel® Core™ i5-1335U processor (10 core, up to 4.6 GHz, 12 MB cache) AMD Ryzen™ 5 7530U processor (6 core, up to 4.5 GHz, 16 MB cache) AMD Ryzen™ 5 7430U processor (6 core, up to 4.3 GHz, 16 MB cache) Intel® Core™ i5-12450H processor (8 core, up to 4.4 GHz, 12 MB cache) Intel® Core™ 5 120U processor (10 core, up to 5.0 GHz, 12 MB cache) Intel® Core™ Ultra 5 125U processor (12 core, up to 4.3 GHz, 12 MB cache) Dual LAN Intel® Core™ i5-1240P processor (12 core, up to 4.4 GHz, 12 MB cache)
Memory	4GB · 8GB · 16GB · 16GB (2 x 8GB) · 32GB · 32GB (2 x 16GB) · 64GB (2 x 32GB) · 8GB DDR5 RAM · 16GB DDR5 RAM · 32GB DDR5 RAM · 32GB DDR5 RAM (2 x 16GB) · 64GB DDR5 RAM (2 x 32GB)
Storage	32GB MLC · 128GB · 256GB · 512GB · 1TB · 2TB
Wireless	Dual Band WiFi · No WiFi
Ethernet	Single · Dual
Operating system	Without OS · Windows 11 Pro · Windows 11 Professional · Ubuntu Linux · Windows 11 IoT Value · Windows 11 IoT
Accessories	None · Thinvent® Keyboard and Mouse set

All-in-One PCs for Every Requirement



22" SCREEN SIZE

Uno 21.5"

For schools

4.4 GHz Twelve Core, Intel® Core™ i5-1240P processor

4 GB RAM

512 GB SSD

1 × HDMI, 1 × VGA

2 × USB 2.0, 4 × USB 3.0

1 × USB C

Built-in speaker, Speaker & Mic Jacks

1 Gbps Ethernet

Windows 11 Pro



24" SCREEN SIZE

Popular

Uno 23.8"

For corporates

4.4 GHz Six Core, Intel® Core™ i3-1215U processor

8 GB RAM

256 GB SSD

1 × HDMI, 1 × VGA

4 × USB 2.0, 2 × USB 3.0

Height adjustable stand

Built-in speaker, Speaker & Mic Jacks

1 Gbps Ethernet

Windows 11 Pro

RANGES IN THIS CATALOGUE



Uno 22 and Uno 24 All-in-One PCs

[page 23](#)



Uno 22 and Uno 24 All-in-One PCs

Streamlined Productivity in a Sleek All-in-One Design

Experience a clutter-free workspace and powerful performance with the Thinvent Uno22 All-in-One PC. Designed for efficiency and versatility, the Uno22 combines a stunning 21.5-inch Full HD display with robust computing power, making it ideal for home, office, and commercial environments.

Elevate your productivity and streamline your workspace with the Thinvent Uno24 All-in-One PC. This sleek and powerful system combines a vibrant 23.8-inch Full HD display with robust computing capabilities, making it the perfect solution for both professional and personal use.

- For schools
- 22" Screen Size

CONFIGURATION SHOWN ON THE COMPARISON PAGE: UNO 21.5"

● 4.4 GHz Twelve Core, Intel® Core™ i5-1240P processor	● 4 GB RAM	● 512 GB SSD
● 1 × HDMI, 1 × VGA	● 2 × USB 2.0, 4 × USB 3.0	● 1 × USB C
● Built-in speaker, Speaker & Mic Jacks	● 1 Gbps Ethernet	● Windows 11 Pro

- For corporates
- 24" Screen Size

CONFIGURATION SHOWN ON THE COMPARISON PAGE: UNO 23.8"

● 4.4 GHz Six Core, Intel® Core™ i3-1215U processor	● 8 GB RAM	● 256 GB SSD
● 1 × HDMI, 1 × VGA	● 4 × USB 2.0, 2 × USB 3.0	● Height adjustable stand
● Built-in speaker, Speaker & Mic Jacks	● 1 Gbps Ethernet	● Windows 11 Pro

www.thinvent.in/f/Uno22 and [f/Uno24](http://www.thinvent.in/f/Uno24)



Uno 24 front



Uno 22 Front Perspective



Uno 24 Profile



Uno 22 Rear




Uno 24 Rear Profile



Uno 22 Rear Perspective



Uno 24 Rear



Specifications

PROCESSING

Main Memory	4 GB ~ 64 GB
SSD Storage	128 GB ~ 1 TB

DISPLAY

Screen Size	21.5 inch / 23.8 inch
Resolution	1920 × 1080
Brightness	250 nits
Viewing Angle	Horizontal 178°, Vertical 178°
Camera	Pop up, 5 Megapixel
HDMI	1 ~ 2
VGA	Yes

AUDIO

Speakers	2 × 3 Watts
Speaker Out	Yes
Mic In	Yes

CONNECTIVITY

USB 3.0	2 ~ 4
USB 2.0	0 ~ 2
Side USB 2.0	2

NETWORKING

Ethernet	1000 Mbps
----------	-----------

POWER

DC Voltage	12 Volts
DC Current	2 ~ 7 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 0.9 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 35°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Dimensions	490mm × 378mm × 55mm / 541mm × 400mm × 55mm
Housing Material	Aluminium alloy, steel and ABS Plastic
Housing Colour	Black

ACCESSORIES

VESA Mount	Yes
------------	-----

Options

Processor	Intel® processor N5095A (4 core, up to 2.9 GHz, 4 MB cache) Intel® Core™ i3-1215U processor (6 core, up to 4.4 GHz, 10 MB cache) Intel® Core™ i3-1315U processor (6 core, up to 4.5 GHz, 10 MB cache) Intel® Core™ i7-1255U processor (10 core, up to 4.7 GHz, 12 MB cache) Dual LAN Intel® Core™ i5-1335U processor (10 core, up to 4.6 GHz, 12 MB cache) AMD Ryzen™ 5 7430U processor (6 core, up to 4.3 GHz, 16 MB cache) Intel® Core™ 5 120U processor (10 core, up to 5.0 GHz, 12 MB cache) Intel® Core™ Ultra 5 125U processor (12 core, up to 4.3 GHz, 12 MB cache) Dual LAN Intel® Core™ i5-1240P processor (12 core, up to 4.4 GHz, 12 MB cache)
Memory	4GB · 8GB · 16GB · 16GB (2 x 8GB) · 32GB · 32GB (2 x 16GB) · 64GB (2 x 32GB) · 8GB DDR5 RAM · 16GB DDR5 RAM · 32GB DDR5 RAM · 32GB DDR5 RAM (2 x 16GB) · 64GB DDR5 RAM (2 x 32GB)
Storage	128GB · 256GB · 512GB · 1TB · 2TB
Wireless	Dual Band WiFi · No WiFi
Ethernet	Single · Dual
Operating system	Without OS · Windows 11 Pro · Windows 11 Professional · Ubuntu Linux · Windows 11 IoT Value · Windows 11 IoT
Accessories	Fixed Stand · Height Adjustable Stand

Choose the Right Thin Client



ENTRY LEVEL

Micro 5R

For schools

2.0 GHz Quad Core, ARM® A53 Processor

2 GB RAM

16 GB SSD

1 × HDMI 2.0

2 × USB 2.0

Speaker Jack

100 Mbps Ethernet

WiFi 6 and Bluetooth 5

0.3 litre

PREMIUM **Popular**

Micro 6 Pro

For small businesses

1.9 GHz Quad Core, ARM® A55 Processor

4 GB RAM

32 GB SSD

1 × HDMI

1 × USB 2.0, 1 × USB 3.0

HDMI Audio

100 Mbps Ethernet

Dual band, dual antenna WiFi

0.2 litre, 250 grams



ENTERPRISE

Treo Thin Client

For large organisations

4.4 GHz Six Core, Intel® Core™ i3-1215U processor

8 GB RAM

128 GB SSD

1 × HDMI

4 × USB 2.0, 4 × USB 3.0

HDMI Audio, Speaker & Mic Jacks

1 Gbps Ethernet

Optional dual antenna WiFi

1 litre, 1 kg



Micro 6 Pro Mini PC

Power, Performance, and Sustainability in the Palm of Your Hand

Introducing the Thinvent Micro 6 Pro, a remarkably compact yet powerful mini PC designed for seamless performance, versatility, and a commitment to sustainability. Perfect for home, office, or on-the-go use, this tiny powerhouse delivers a rich computing experience in an incredibly small form factor. Popular in education, BPOs, healthcare, industrial control, and office automation, the Micro 6 Pro excels in diverse applications.

- For small businesses
- Premium

CONFIGURATION SHOWN ON THE COMPARISON PAGE: MICRO 6 PRO

1.9 GHz Quad Core, ARM® A55 Processor	4 GB RAM	32 GB SSD
1 × HDMI	1 × USB 2.0, 1 × USB 3.0	HDMI Audio
100 Mbps Ethernet	Dual band, dual antenna WiFi	0.2 litre, 250 grams



www.thinvent.in/f/P

Unleash the Power of Miniaturization

Weighing in at a mere 110 grams and boasting a minuscule 192ml volume (102mm × 90mm × 21mm), the Micro 6 Pro fits comfortably in the palm of your hand. Its sleek, anodized aluminum housing in a stylish gray finish adds a touch of elegance to any workspace.

Robust Performance

Powered by an ARM 1.91 GHz Quad-Core Cortex A55 processor and 4GB of RAM, the Micro 6 Pro handles everyday tasks with ease. Enjoy smooth multitasking and responsive performance for browsing, streaming, and productivity applications. 64GB of flash storage provides ample space for your essential files and applications, expandable via the microSD slot.

Stunning Visuals

Experience crystal-clear visuals with the integrated HDMI port, supporting stunning 4K video output. Whether you're connecting to a remote server, working on presentations, or enjoying multimedia content, the Micro 6 Pro delivers a vibrant and immersive viewing experience.

Seamless Connectivity

Stay connected with blazing-fast 802.11ac dual-band WiFi, featuring dual antennas for enhanced signal strength and stability. A 100 Mbps Ethernet port provides a reliable wired connection for even more demanding network tasks.

Versatile Ports

The Micro 6 Pro offers a range of connectivity options, including one USB 2.0 port, one USB 3.0 port for high-speed data transfer, and a microSD card slot for expanded storage.

Thinvent Thinux OS

The Micro 6 Pro comes pre-installed with Thinvent Thinux Embedded Linux, a stable and efficient operating system. It's also compatible with Ubuntu Linux, giving you the flexibility to choose the environment that suits your needs. Enjoy pre-installed Chromium and Mozilla Firefox browsers for seamless web browsing, along with RDP 10 support for remote desktop access. The built-in MPEG4 video player

ensures you can enjoy your multimedia content right out of the box. Its customizable OS platform makes it ideal for industrial control and office automation.

Energy Efficient

Designed for efficiency, the Micro 6 Pro consumes a maximum of just 7 watts, saving you energy and money.





Certifications and Green Computing

The Thinvent Micro 6 Pro is BIS, RoHS, and ISO certified, ensuring compliance with international standards. Proudly made in Goa, India, using locally sourced materials and components, the Micro 6 Pro minimizes its carbon footprint during manufacturing while generating employment. The plastic-free, 100% recyclable packaging and housing reflect our commitment to environmental responsibility. We also offer a take-back program for responsible refurbishing or recycling of your device.

Key Features

- ARM 1.91 GHz Quad-Core Cortex A55 Processor
- 4GB RAM
- 64GB Flash Storage (expandable via microSD)
- HDMI port with 4K video support
- 802.11ac Dual-Band WiFi with Dual Antennas
- 100 Mbps Ethernet Port
- 1 × USB 2.0, 1 × USB 3.0
- Thinvent Thinux Embedded Linux (Ubuntu Linux compatible)
- Chromium and Mozilla Firefox browsers
- RDP 10 Support
- MPEG4 Video Player
- 7 Watts Max Power Consumption
- Anodized Aluminum Housing (Gray)
- 110g weight, 192ml size (102mm × 90mm × 21mm)
- BIS, RoHS, and ISO Certified
- Green Computing Initiative

Upgrade your computing experience with the Thinvent Micro 6. Small in size, big on performance.



Specifications

PROCESSING

Main Memory	4 GB
SSD Storage	64 GB

DISPLAY

HDMI	1
------	---

AUDIO

Speaker Out	Yes
-------------	-----

CONNECTIVITY

USB 2.0	1
USB 3.0	1

NETWORKING

Ethernet	100 Mbps
----------	----------

POWER

DC Voltage	5 Volts
------------	---------

PHYSICAL

Housing Material	Aluminium
Housing Finish	Anodised
Housing Colour	Dark Grey

ACCESSORIES

VESA Mount	Yes
------------	-----

Options

Processor	ARM® Cortex A55 processor (4 core, up to 1.9 GHz, 1 MB cache)
Memory	4GB Onboard RAM
Storage	32GB eMMC Storage
Wireless	Dual Antenna WiFi
Operating system	
Accessories	HDMI to VGA Cable · VESA Mount for Micro · None · Thinvent® Keyboard and Mouse set



Micro 5R Thin Client

For schools

Entry Level

CONFIGURATION SHOWN ON THE COMPARISON PAGE: MICRO 5R

- | | | |
|---|--------------------------|----------------|
| • 2.0 GHz Quad Core, ARM® A53 Processor | • 2 GB RAM | • 16 GB SSD |
| • 1 × HDMI 2.0 | • 2 × USB 2.0 | • Speaker Jack |
| • 100 Mbps Ethernet | • WiFi 6 and Bluetooth 5 | • 0.3 litre |



www.thinvent.in/f/VR

Specifications

PROCESSING

Main Memory	2 GB
SSD Storage	16 GB

DISPLAY

HDMI 2.0	1
----------	---

AUDIO

Speaker Out	Yes
-------------	-----

CONNECTIVITY

USB 2.0	2
microSD Slot	1

NETWORKING

Ethernet	100 Mbps
Wireless Networking	Wi-Fi 6, Bluetooth 5

POWER

DC Voltage	5 Volts
------------	---------

PHYSICAL

Housing Material	Aluminium
Housing Finish	Powder Coated
Housing Colour	Black

ACCESSORIES

VESA Mount	Yes
------------	-----

Options

Processor	ARM® Cortex A53 processor (4 core, up to 2.0 GHz)
Memory	2GB Onboard RAM
Storage	16GB eMMC Storage
Wireless	WiFi 6 and Bluetooth
Operating system	
Accessories	HDMI to VGA Cable · VESA Mount for Micro · None · Thinvent® Keyboard and Mouse set



Thinvent Technologies Private Limited

GOA

#11 Sports Complex
Salvador Do Mundo
North Goa - 403101, India

GURGAON

UGF-10-A Omaxe Gurgaon Mall
Sector 49, Sohna Road
Gurgaon - 122018, India

PHONE

+91-11-430-77467

EMAIL

website@thinvent.in

WEB

www.thinvent.in

Mini PCs · All in One Computers · Industrial Computers · Panel PCs · Thin Clients

© 2007-2026 Thinvent Technologies Private Limited. All Rights Reserved.